LEVOLOR®



Custom Banded Shades

Pricing and Technical Guide

June 2025
(rev. 10.01.25)

more info visit **LEVOLOR.ca**

TABLE OF CONTENTS

Product Characteristics and Information BS-2
Collection Information BS-3
Colour Chart BS-4
Operating Systems BS-5
InMotion™ Motorization BS-6
InMotion™ Motorization Solar Panel Overview BS-7
Features/Options BS-8
No Drill Headrail - EasyMount™ BS-9
Shade Specifications Securlift™ & PerfectPlacement™ Cordless BS-10
Shade Specifications 2-on-1 Securlift™ & PerfectPlacement™ Cordless BS-11
Shade Specifications InMotion™ Wand BS-12
Shade Specifications 2-on-1 InMotion™ Wand BS-13
Shade Specifications InMotion™ Motorization BS-14
Shade Specifications 2-on-1 InMotion™ Motorization BS-15
Critical Dimensions BS-16
Window And Measuring Terminology BS-17
How To Measure Quickly And Accurately BS-18
How To Measure Multiple Shades On One Headrail BS-19
Warranty BS-20
Pricing Grids

The following information is available online at LEVOLOR.ca

- Terms and Conditions
- Freight
- Warning and Safety Information
- Claims and Returns
- Warranty

PRODUCT CHARACTERISTICS AND INFORMATION

Inherent Characteristics

Due to the weave and nature of the material, the following are the inherent characteristics and are not considered defects:

- A moiré effect may occur when the sheer fabric bands are aligned.
- The fabric colour appearance may vary based on the light conditions in the room, light reflection from interior decor, or the position of the shade (open/closed/partial).
- The front fabric may appear wavy or bow due to the weave and construction of the fabric.
- There may be a hue variation between complementary LF & RD fabric.

Fabric Note

- Static electricity build up on fabrics is a common occurrence in dry environments, especially during colder seasons. To help reduce static on your shades, lightly spray an anti-static product on the fabric or gently wipe the fabric with dryer sheets.

Colour Lot Variations

May occur with fabric and/or hardware due to the process of colour application. For the best colour match, order all shades for a room at the same time. Pattern availability and colour lot matching between orders cannot be assured.

Side-By-Side Vane Alignment

Side-by-side band alignment refers to the alignment of the bands from left to right on 2 or more shades mounted next to each other. Exact alignment cannot be guaranteed. Please adhere to the following to ensure the best material alignment:

- Order shades at the same time and in the identical style, colour, height, operating system and application.
- Specify on the order under special instructions, that shades need to be aligned.
- Do not use side-by-side for dye-lot consistency.
- To ensure the best material alignment, the combined width of side-by-side shades should equal less than the maximum fabric width.

Band Alignment

Band alignment from the front to the back panel can appear different. Fabric and sheer bands are set in fabrication to align front-to-back in the closed position. Due to possible slight variances in band sizes that are within industry standards, bands could appear to not align perfectly from the front to the back panel when in the open position.

Shade Height

The finished shade height will always be in the fully lowered, closed position with bands offset. When the solid bands are aligned in the open position, the bottom rail raises up slightly, approximately half the width of the solid band height:

- On an inside mount application, the bottom rail will be slightly above the windowsill.
- On an outside mount application, it will be slightly above the bottom of the window opening.

Care And Cleaning

Shades are polyester and treated to help resist dust, dirt and stains:

- Dust your shades regularly using a feather-like duster, or cylindrical dust brush specially designed for shades.
- Use a can of compressed air or a hand-held hair dryer on the COOL setting to blow off dust and debris.
- Professional ultrasonic cleaning can be used.
- Use a hand-held vacuum with low suction for more thorough dust removal.

Note: Banded Shades should not be spot-cleaned

COLLECTION INFORMATION

Fabric Code	Fabric Collection	Price Group	Opacity	Band Size		Composition	GreenGuard Certified
				Fabric	Sheer		
LF059	Arianna LF	B	Light Filtering	3"	2"	100% Polyester	Yes
LF007	Arianna Wide LF	C	Light Filtering	4"	2 3/4"	100% Polyester	Yes
LF057	Brighton LF	C	Light Filtering	3 5/8"	2 3/4"	100% Polyester	N/A
LR003	Brighton RD	D	Room Darkening	3 5/8"	2 3/4"	100% Polyester	N/A
LF005	Candler LF	C	Light Filtering	3"	2"	100% Polyester	Yes
LF006	Candler Wide LF	D	Light Filtering	4"	2 3/4"	100% Polyester	Yes
LR006	Chateau RD	E	Room Darkening	4 3/4"	3 1/8"	100% Polyester	Yes
LF003	Emberlyn LF	A	Light Filtering	3"	2"	100% Polyester	Yes
LR007	Florence RD	E	Room Darkening	3"	2 3/4"	100% Polyester	Yes
LF009	Heirloom LF	C	Light Filtering	3"	2"	100% Polyester	Yes
LF008	Insignia RD	E	Room Darkening	3"	2"	100% Polyester	N/A
LR009	Kingsley RD	E	Room Darkening	4"	2 3/4"	100% Polyester	N/A
LF004	Latitude LF	A	Light Filtering	3"	2"	93.9% Polyester, 6.1% Linen	Yes
LF012	Mohave LF	C	Light Filtering	3"	2"	100% Polyester	N/A
LR004	Mohave RD	D	Room Darkening	3"	2"	100% Polyester	N/A
LF013	Polished LF	C	Light Filtering	3"	2"	100% Polyester	N/A
LF008	Ravello LF	B	Light Filtering	3"	2"	100% Polyester	Yes
LF015	Shanghai LF	D	Light Filtering	3"	2"	100% Polyester	N/A
LF016	Summerlin LF	B	Light Filtering	3"	2"	100% Polyester	N/A
LF058	Transcend LF	C	Light Filtering	3"	2"	100% Polyester	Yes
LF011	Valhalla LF	B	Light Filtering	3"	2"	93.3 % Polyester, 6.7% Linen	Yes
LF061	Whispy LF	B	Light Filtering	3"	2"	100% Polyester	N/A
LF014	Woodward LF	C	Light Filtering	3"	2"	100% Polyester	N/A


Greenguard Certification

- Ensures LEVOLOR products contribute to healthy air quality in consumers homes

COLOUR CHART

Fabric Collection	Fabric Colour	Fabric Code	Colour Code	Hardware Colour*
Arianna LF	Coconut	LF059	8520	White
Arianna LF	Silverdrop	LF059	8522	Gray/Silver
Arianna LF	Biscotti	LF059	8526	White
Arianna LF	Mushroom	LF059	8527	Gray/Silver
Arianna Wide LF	Coconut	LF007	001	White
Arianna Wide LF	Silverdrop	LF007	002	Gray/Silver
Arianna Wide LF	Biscotti	LF007	003	White
Arianna Wide LF	Mushroom	LF007	004	Gray/Silver
Brighton LF	Shaved Coconut	LF057	8400	White
Brighton LF	Toasted Almond	LF057	8402	Vanilla
Brighton LF	Brushed Silver	LF057	8403	Gray/Silver
Brighton LF	Weathered Bronze	LF057	8404	Gray/Silver
Brighton RD	Shaved Coconut	LR003	001	White
Brighton RD	Brushed Silver	LR003	002	Gray/Silver
Brighton RD	Weathered Bronze	LR003	003	Gray/Silver
Candler LF	Whisper	LF005	001	White
Candler LF	Cream	LF005	002	Vanilla
Candler LF	Gray Mist	LF005	003	Gray/Silver
Candler Wide LF	Whisper	LF006	001	White
Candler Wide LF	Cream	LF006	002	Vanilla
Candler Wide LF	Gray Mist	LF006	003	Gray/Silver
Chateau RD	Birch	LR006	001	Gray/Silver
Chateau RD	Dovetail	LR006	002	Gray/Silver
Chateau RD	Hazelnut	LR006	003	Vanilla
Chateau RD	Lucky Penny	LR006	004	Bronze
Chateau RD	Champagne	LR006	005	Vanilla
Emberlyn LF	Snow	LF003	001	White
Emberlyn LF	Silver	LF003	002	Gray/Silver
Emberlyn LF	Raven	LF003	003	Black
Florence RD	Oyster	LR007	001	Gray/Silver
Florence RD	Barley	LR007	002	Gray/Silver
Florence RD	Coriander	LR007	003	Vanilla
Florence RD	Pewter	LR007	004	Bronze
Heirloom LF	High Cotton	LF009	001	White
Heirloom LF	Sweet Cream	LF009	002	Vanilla
Heirloom LF	Birds Nest	LF009	003	Bronze
Heirloom LF	Silver Coin	LF009	004	Gray/Silver
Insignia RD	Birch Tree White	LR008	001	Gray/Silver
Insignia RD	Owl Gray	LR008	002	Gray/Silver
Insignia RD	Stone Beige	LR008	003	Vanilla
Insignia RD	Swiss Chocolate	LR008	004	Bronze
Insignia RD	Dark Roast	LR008	005	Bronze
Kingsley RD	Iceberg	LR009	8540	White
Kingsley RD	Sateen	LR009	8541	White
Kingsley RD	Thunder	LR009	8543	Gray/Silver
Latitude LF	Vanilla Bean	LF004	001	White
Latitude LF	Light Oatmeal	LF004	002	White
Mohave LF	Snowfall	LF012	001	White
Mohave LF	Desert Sand	LF012	002	Vanilla
Mohave LF	Horizon Shadow	LF012	003	Gray/Silver
Mohave RD	Snowfall	LR004	001	Gray/Silver
Mohave RD	Desert Sand	LR004	002	Vanilla
Mohave RD	Horizon Shadow	LR004	003	Gray/Silver
Polished LF	Nordic White	LF013	001	White
Polished LF	Agreeable Gray	LF013	002	Gray/Silver
Polished LF	Irish Cream	LF013	003	Vanilla
Polished LF	Moonlit Gray	LF013	004	Gray/Silver
Polished LF	Chai Latte	LF013	005	Vanilla
Ravello LF	Whisper	LF008	001	White
Ravello LF	Candlelight	LF008	002	Vanilla
Ravello LF	Silver Mist	LF008	003	Gray/Silver
Shanghai LF	Frost	LF015	001	White
Shanghai LF	Wood Wind	LF015	002	Vanilla
Shanghai LF	Cement	LF015	003	Gray/Silver
Shanghai LF	Galaxy	LF015	004	Gray/Silver
Summerlin LF	Whisper	LF016	001	White
Summerlin LF	Cream	LF016	002	Vanilla
Summerlin LF	Gray Mist	LF016	003	Gray/Silver
Transcend LF	Cloud	LF058	8510	White
Transcend LF	Sterling	LF058	8511	Gray/Silver
Transcend LF	Nutshell	LF058	8512	Gray/Silver
Transcend LF	Shiitake	LF058	8514	Bronze
Valhalla LF	Vanilla Bean	LF011	001	White
Valhalla LF	Light Oatmeal	LF011	002	Vanilla
Valhalla LF	Silverdrop	LF011	003	Gray/Silver
Whispy LF	Frostbite	LF061	8490	White
Whispy LF	Fresh Linen	LF061	8491	White
Whispy LF	Fog	LF061	8495	Gray/Silver
Woodward LF	Marshmallow	LF014	001	White
Woodward LF	Wood Wind	LF014	002	Bronze
Woodward LF	Gray Stone	LF014	003	Gray/Silver
Woodward LF	Blue Steel	LF014	004	Gray/Silver
Woodward LF	Silver Mist	LF014	005	Gray/Silver
Woodward LF	Champagne	LF014	006	Gray/Silver

* Cassette, end caps, bottom rail, wand - if applicable. This cannot be overridden.



White | Vanilla | Gray/Silver | Bronze | Black

NOTES: The actual colour of the hardware may vary from the colour swatches above.

OPERATING SYSTEMS



SecurLift™ Chainloop

- Easily operate your shade by pulling the stainless steel chain to raise and lower the shade
- Chainloop stays at a constant length and is partially housed in a clear plastic guard (SecurLift™)
- Must specify chain location, left or right for single shade. 2-on-1 chain location is standard (left shade = L/right shade = R)
- Must specify chain drop length

Chain Drop Length	SecurLift™ (plastic guard) Length
1.5 ft	4"
2 ft	10"
3 ft	22"
4 ft	34"
5 ft	46"
6 ft	58"

- Available with 2-on-1 headrail
- For individual fabric specifications, refer to the *Shade Specifications* Charts



PerfectPlacement™ Cordless

- Precisely raise and lower the shade to any desired position. Bottom rail glides effortlessly up and down with minimal force
- Clear lift handle(s) are standard
- Optional Extension Pole is available
- Available with 2-on-1 headrail
- For individual fabric specifications, refer to the *Shade Specifications* Charts



InMotion™ Wand

- Includes integrated rechargeable lithium-ion battery, eliminating the need for disposable batteries
- Single touch push button power wand moves shade up and down and sets a favourite position
- Simple programming for worry free operation. Shade comes preprogrammed
- 5 colours (White, Vanilla, Gray, Bronze, and Black) colour coordinated to the fabric. This is pre-determined and cannot be overridden. Refer to *Colour Chart* for wand colour
- Charging kit included (10 ft cable)
- Not compatible with InMotion™ Motorization accessories
- Must specify wand location, left or right for single shade. 2-on-1 wand location is standard (left shade = L/right shade = R)
- Wand length is pre-determined based on shade length. Alternate wand length can be requested

Shade Length	Suggested Wand Length
Up to 30"	1' (12")
30 1/8" to 52"	2' (24")
52 1/8" to 78"	3' (36")
78 1/8" to 100"	4' (48")
100 1/8" to 120"	5' (60")

- Available with 2-on-1 headrail
- For individual fabric specifications, refer to the *Shade Specifications* Charts

INMOTION™ MOTORIZATION



InMotion™ Motorization

- Includes integrated rechargeable lithium-ion battery, eliminating the need for disposable batteries
- Available with 2-on-1 headrail
- Control shades with a 15-channel Hand-Held Remote or Wall-Mount Remote (sold separately)
- Charge via the USB charging port (10ft extension cable included)
- Compatible with HUB and Solar Charger (both sold separately)
- For individual fabric specifications, refer to the *Shade Specifications* Charts



Hand-Held Remote

- 15 channels
- Batteries included (2 x AAA)
- Not compatible with InMotion™ Wand



Wall-Mount Remote

- 15 channels
- Operates the same way as a handheld remote
- Low profile, surface mount
- One per floor recommended
- Quick and easy installation using two mounting screws
- Batteries included (2 x AAA)
- Dimensions: 3.4" L x 3.4" W x .70" D
- Not compatible with InMotion™ Wand



Wi-Fi Hub

- Syncs with your Wi-Fi to enable app control and smart home integration
- USB plugs into any 5V/2A power source
- Organize shades by room
- See real-time shade position and battery charge status
- Store preset shade positions as scenes
- Create routines by scheduling scenes by day of week and time of day
- Adjust shades when you are away from home
- Links with Amazon Alexa, Google Home, and IFTTT
- App available to download for iOS and Android devices
- Not compatible with InMotion™ Wand
- For larger spaces, multiple hubs may be required
- It is recommended to have at least 1 remote per house for ease of programming. Allows full shade functionality, easy control for guests, and operation if power is out



Solar Charger

- One solar charger per shade is required
- Solar charger plugs directly into the shade
- Solar charges the shade with renewable solar energy (sun)
- Solar charger and/or shade can also be charged using the included charging kit
- Mounts to the glass using supplied installation tape (recommended method), or supplied "L" installation brackets (alternative method)
- Low profile mount
- Dimensions: 18.7" L x 2" W x .30" D
- Solar Charger cable 59"
- Not compatible with InMotion™ Wand

NOTE: LEVOLOR® InMotion™ is not compatible with products from the previous LEVOLOR® motorization program. This includes blinds/shades that are controlled with the previous LEVOLOR app, 3-channel remote, and 6-channel remote.

For additional information visit LEVOLOR.ca


INMOTION™ MOTORIZATION SOLAR PANEL OVERVIEW

SPECIFICATIONS

Working Voltage (Vm):	5V
Open circuit voltage (Voc):	6.3V
Short-circuit current (Isc):	659mA
Working current (Im):	606mA
Max. Output Power (Under 1000W/m2):	3W

Electrical performance tolerance:	voltage ± 10%; current ± 10%
International solar energy inspection standards:	solar radiation 1000W/m2; 1.5 Air Mass; humidity 25° C
Electricity requirements (each solar panel includes solar battery cells):	conversion efficiency 21%; open circuit voltage (Voc) 6.3V
IP Rating:	IP55
Temp Working Range:	14°F to 122°F (-10°C to 50°C)

DIMENSIONS



DEFINE THE BEST LOCATION TO INSTALL


The solar panel is designed for indoor use only. To maximize the performance of the solar panel, it should be installed as close as possible to the window glass, allowing as much natural light as possible to reach the panel.

Important

Any element between the Sun light and the solar panel will impact the charging time, and in some situations, prohibit the use of a solar panel. Overcast weather is an example of possible obstruction that impossible to predict or control, but there are other elements that we should consider before installing a solar panel, like:

- Awnings
- Trees
- Deep Eaves
- Tall buildings and walls
- Insect Screen
- Others

Do Not Use Solar Panel Under Below Conditions



Awnings | Deep Eaves | Vegetation Blocking Light | Insect Screen

FEATURES/OPTIONS

Cassettes




- Cassette with fabric insert comes standard
- Choose between Medium or Large Cassette (refer to *Shade Specifications* charts for medium cassette limitations)
- Medium Cassette dimension (3-1/8" height x 3-3/4" depth)
- Large Cassette dimension (3-7/8" height x 3-7/8" depth)
- Colour is pre-selected based on fabric colour (see *Colour Chart* for details)
- When ordering a large cassette, it is suggested to select a fabric with a fabric band of 4" to maximize coverage of the cassette
- Spacer blocks available on outside mount only (must be requested at time of order)

Bottom Rail

- Fabric-wrapped bottom rail is standard
- Component colour is pre-selected based on fabric colour (see *Colour Chart* for details)
- Magnetic hold-down brackets are available on all operating systems, outside mount only (single/2-on-1 shades). Must be requested at time of order




Fabric-Wrapped



Side Channels

- Available in 5 colours: White, Vanilla, Gray, Bronze or Black (must be selected at time of order)
- High quality PVC L-shaped side channels install in minutes (not pre-drilled)
- Offers additional privacy and light control
- Inside Mount only
- Available with PerfectPlacement™ Cordless, InMotion™ Wand and InMotion™ Motorization operating systems
- Available with 2-on-1 (surcharge includes one left channel and one right channel. No center channel
- If Side Channels are selected, 1/2" will be deducted in addition to the 1/4" for inside mount
- Cannot be ordered separately



Width 1-3/8"
Depth 1/2"

Extension Pole

- 18"-36" extension pole
- Compatible with PerfectPlacement™ Cordless only



NO DRILL HEADRAIL - EASYMOUNT™







- No tools required
- Shade brackets are pre-installed on mounting rail
- Push levers up to secure mounting rail into the window frame opening
- Snap shade into the brackets to complete installation
- Inside Mount only
- Not available with Large Cassette
- Minimum mounting depth = 2-1/4"
- Mounting rail available in 5 colours: White, Vanilla, Gray, Bronze, and Black (must select at time of order)
- Available on: PerfectPlacement™ Cordless, InMotion™ Wand, and InMotion™ Motorization
- Not available with extension brackets, side channels, side mount brackets, spacer blocks, or 2-on-1 headrail
- No additional shade deductions will be taken other than standard inside mount deductions
- Price as single shade and add No Drill Headrail - EasyMount™ surchage

NO DRILL HEADRAIL - EASYMOUNT™ SPECIFICATIONS				
	SecurLift™ Chainloop	**PerfectPlacement™ Cordless**	**InMotion™ Wand**	**InMotion™ Motorization**
Min Width	N/A	18"	19 1/2"	21 1/2"
Min Height	N/A	20"	20"	20"
Max Width	N/A	84"	84"	84"
Max Height*	N/A	84"*	84"*	84"*

*See *Shade Specifications* charts for select fabric height restrictions due to Medium Cassette limitations

SHADE SPECIFICATIONS - SECURLIFT™ & PERFECTPLACEMENT™ CORDLESS

SINGLE PANEL		SECURLIFT™ CHAINLOOP CONTROL		PERFECTPLACEMENT™ CORDLESS LIFT	
		Medium / Large Cassette		Medium / Large Cassette	
		Min Width	Min Height	Min Width	Min Height
		15"	24"	18"	20"
Fabric Code	Fabric Collection	Max Width	Max Height	Max Width	Max Height
LR059	Arianna LF	102"	110"	84"	84"
LF007	Arianna Wide LF	100"	102"	84"	84"
LF057	Brighton LF	102"	106"	84"	84"
LR003	Brighton RD	98"	M/L Cass. 62"/ L. Cass. 90"	84"	M/L Cass. 62"/ L. Cass. 84"
LF005	Candler LF	96"	110"	84"	84"
LF006	Candler Wide LF	96"	110"	84"	84"
LR006	Chateau RD	94"	M/L Cass. 86"/ L. Cass. 102"	84"	84"
LF003	Emberlyn LF	100"	102"	84"	84"
LR007	Florence RD	92"	M/L Cass. 70"/ L. Cass. 96"	84"	M/L Cass. 70"/ L. Cass. 84"
LF009	Heirloom LF	100"	102"	84"	84"
LR008	Insignia RD	92"	M/L Cass. 68"/ L. Cass. 96"	84"	M/L Cass. 68"/ L. Cass. 84"
LR009	Kingsley RD	102"	M/L Cass. 80"/ L. Cass. 96"	84"	M/L Cass. 80"/ L. Cass. 84"
LF004	Latitude LF	102"	106"	84"	84"
LF012	Mohave LF	102"	M/L Cass. 84"/ L. Cass. 110"	84"	84"
LR004	Mohave RD	102"	M/L Cass. 80"/ L. Cass. 106"	84"	M/L Cass. 80"/ L. Cass. 84"
LF013	Polished LF	98"	110"	84"	84"
LF008	Ravello LF	90"	100"	84"	84"
LF015	Shanghai LF	90"	M/L Cass. 78"/ L. Cass. 100"	84"	M/L Cass. 78"/ L. Cass. 84"
LF016	Summerlin LF	98"	100"	84"	84"
LF058	Transcend LF	102"	110"	84"	84"
LF011	Valhalla LF	100"	106"	84"	84"
LF061	Whispy LF	102"	90"	84"	84"
LF014	Woodward LF	100"	M/L Cass. 90"/ L. Cass. 106"	84"	84"

SHADE SPECIFICATIONS - 2-ON-1 SECURLIFT™ & PERFECTPLACEMENT™ CORDLESS

2-ON-1 HEADRAIL		SECURLIFT™ CHAINLOOP CONTROL			PERFECTPLACEMENT™ CORDLESS LIFT		
		Medium/Large Cassette			Medium/Large Cassette		
		Min Width 2-on-1	Min Width Per Panel	Min Height	Min Width 2-on-1	Min Width Per Panel	Min Height
		30"	15"	24"	36"	18"	20"
Fabric Code	Fabric Collection	Max Width Overall	Max Width Per Panel	Max Height	Max Width Overall	Max Width Per Panel	Max Height
LR059	Arianna LF	110"	95"	110"	102"	84"	84"
LF007	Arianna Wide LF	110"	95"	102"	102"	84"	84"
LF057	Brighton LF	110"	95"	106"	102"	84"	84"
LR003	Brighton RD	112"	95"	M/L Cass. 62"/ L. Cass. 90"	102"	84"	M/L Cass. 62"/ L. Cass. 84"
LF005	Candler LF	110"	95"	110"	102"	84"	84"
LF006	Candler Wide LF	110"	95"	110"	102"	84"	84"
LR006	Chateau RD	110"	95"	M/L Cass. 86"/ L. Cass. 102"	102"	84"	84"
LF003	Emberlyn LF	110"	95"	102"	102"	84"	84"
LR007	Florence RD	110"	95"	M/L Cass. 70"/ L. Cass. 96"	102"	84"	M/L Cass. 70"/ L. Cass. 84"
LF009	Heirloom LF	110"	95"	102"	102"	84"	84"
LR008	Insignia RD	110"	92"	M/L Cass. 68"/ L. Cass. 96"	102"	84"	M/L Cass. 68"/ L. Cass. 84"
LR009	Kingsley RD	110"	95"	M/L Cass. 80"/ L. Cass. 96"	102"	84"	M/L Cass. 80"/ L. Cass. 84"
LF004	Latitude LF	110"	95"	106"	102"	84"	84"
LF012	Mohave LF	112"	95"	M/L Cass. 84"/ L. Cass. 110"	102"	84"	84"
LR004	Mohave RD	112"	95"	M/L Cass. 80"/ L. Cass. 106"	102"	84"	M/L Cass. 80"/ L. Cass. 84"
LF013	Polished LF	112"	95"	110"	102"	84"	84"
LF008	Ravello LF	110"	95"	100"	102"	84"	84"
LF015	Shanghai LF	110"	95"	M/L Cass. 78"/ L. Cass. 100"	102"	84"	M/L Cass. 78"/ L. Cass. 84"
LF016	Summerlin LF	110"	95"	100"	102"	84"	84"
LF058	Transcend LF	110"	95"	110"	102"	84"	84"
LF011	Valhalla LF	110"	95"	106"	102"	84"	84"
LF061	Whispy LF	110"	95"	90"	102"	84"	84"
LF014	Woodward LF	110"	95"	M/L Cass. 90"/ L. Cass. 106"	102"	84"	84"

NOTE: For 2-on-1 Center Gap is ½"

SHADE SPECIFICATIONS - INMOTION™ WAND

SINGLE PANEL	INMOTION™ WAND		
	Motor	Min Width	Min Height
	InMotion™ Wand	19 1/2"	20"
Fabric Code	Fabric Name	Medium / Large Cassette	
		Max Width	Max Height
LR059	Arianna LF	102"	110"
LF007	Arianna Wide LF	100"	102"
LF057	Brighton LF	102"	106"
LR003	Brighton RD	98"	M/L Cass. 62"/ L. Cass. 90"
LF005	Candler LF	96"	110"
LF006	Candler Wide LF	96"	110"
LR006	Chateau RD	94"	M/L Cass. 86"/ L. Cass. 102"
LF003	Emberlyn LF	100"	102"
LR007	Florence RD	92"	M/L Cass. 70"/ L. Cass. 96"
LF009	Heirloom LF	100"	102"
LR008	Insignia RD	92"	M/L Cass. 68"/ L. Cass. 100"
LR009	Kingsley RD	102"	M/L Cass. 80"/ L. Cass. 96"
LF004	Latitude LF	102"	106"
LF012	Mohave LF	102"	M/L Cass. 84"/ L. Cass. 110"
LR004	Mohave RD	102"	M/L Cass. 80"/ L. Cass. 106"
LF013	Polished LF	98"	110"
LF008	Ravello LF	90"	100"
LF015	Shanghai LF	90"	M/L Cass. 78"/ L. Cass. 100"
LF016	Summerlin LF	98"	100"
LF058	Transcend LF	102"	110"
LF011	Valhalla LF	100"	106"
LF061	Whispy LF	98"	M/L Cass. 90" / L. Cass. 100"
LF014	Woodward LF	100"	M/L Cass. 90"/ L. Cass. 106"

SHADE SPECIFICATIONS - 2-ON-1 INMOTION™ WAND

2-ON-1 HEADRAIL		INMOTION™ WAND		
		Medium Cassette/Large Cassette		
		Min Width 2-on-1	Min Width Per Panel	Min Height
		39"	19 1/2"	20"
Fabric Code	**Fabric Collection**	**Max Width Overall**	**Max Width Per Panel**	**Max Height**
LR059	Arianna LF	110"	90 1/2"	110"
LF007	Arianna Wide LF	110"	90 1/2"	102"
LF057	Brighton LF	110"	90 1/2"	106"
LR003	Brighton RD	112"	92 1/2"	M/L Cass. 62"/ L. Cass. 90"
LF005	Candler LF	110"	90 1/2"	110"
LF006	Candler Wide LF	110"	90 1/2"	110"
LR006	Chateau RD	110"	90 1/2"	M/L Cass. 86"/ L. Cass. 102"
LF003	Emberlyn LF	110"	90 1/2"	102"
LR007	Florence RD	110"	90 1/2"	M/L Cass. 70"/ L. Cass. 96"
LF009	Heirloom LF	110"	90 1/2"	102"
LR008	Insignia RD	110"	90"	M/L Cass. 68"/ L. Cass. 100"
LR009	Kingsley RD	110"	90 1/2"	M/L Cass. 80"/ L. Cass. 96"
LF004	Latitude LF	110"	90 1/2"	106"
LF012	Mohave LF	112"	90 1/2"	M/L Cass. 84"/ L. Cass. 110"
LR004	Mohave RD	112"	90 1/2"	M/L Cass. 80"/ L. Cass. 106"
LF013	Polished LF	110"	90 1/2"	110"
LF008	Ravello LF	110"	90"	100"
LF015	Shanghai LF	110"	90"	M/L Cass. 78"/ L. Cass. 100"
LF016	Summerlin LF	110"	90 1/2"	100"
LF058	Transcend LF	110"	90 1/2"	110"
LF011	Valhalla LF	110"	90 1/2"	106"
LF061	Whispy LF	110"	90 1/2"	M/L Cass. 90" / L. Cass. 100"
LF014	Woodward LF	110"	90 1/2"	M/L Cass. 90"/ L. Cass. 106"

NOTE: For 2-on-1 Center Gap is ½"

SHADE SPECIFICATIONS - INMOTION™ MOTORIZATION

SINGLE PANEL	INMOTION™ MOTORIZATION		
	Motor	Min Width	Min Height
	InMotion™ Motorization	21 1/2"	20"
Fabric Code	Fabric Name	Medium / Large Cassette	
		Max Width	Max Height
LR059	Arianna LF	102"	110"
LF007	Arianna Wide LF	100"	102"
LF057	Brighton LF	102"	106"
LR003	Brighton RD	98"	M/L Cass. 62"/ L. Cass. 90"
LF005	Candler LF	96"	110"
LF006	Candler Wide LF	96"	110"
LR006	Chateau RD	94"	M/L Cass. 86"/ L. Cass. 102"
LF003	Emberlyn LF	100"	102"
LR007	Florence RD	92"	M/L Cass. 70"/ L. Cass. 96"
LF009	Heirloom LF	100"	102"
LR008	Insignia RD	92"	M/L Cass. 68"/ L. Cass. 100"
LR009	Kingsley RD	102"	M/L Cass. 80"/ L. Cass. 96"
LF004	Latitude LF	102"	106"
LF012	Mohave LF	102"	M/L Cass. 84"/ L. Cass. 110"
LR004	Mohave RD	102"	M/L Cass. 80"/ L. Cass. 106"
LF013	Polished LF	98"	110"
LF008	Ravello LF	90"	100"
LF015	Shanghai LF	90"	M/L Cass. 78"/ L. Cass. 100"
LF016	Summerlin LF	98"	100"
LF058	Transcend LF	102"	110"
LF011	Valhalla LF	100"	106"
LF061	Whispy LF	98"	M/L Cass. 90" / L. Cass. 100"
LF014	Woodward LF	100"	M/L Cass. 90"/ L. Cass. 106"

SHADE SPECIFICATIONS - 2-ON-1 INMOTION™ MOTORIZATION

2-ON-1 HEADRAIL		INMOTION™ MOTORIZATION		
		Medium Cassette/ Large Cassette		
		Min Width for 2-on-1	Min Width Per Panel	Min Height
		43"	21 1/2"	20"
Fabric Code	**Fabric Collection**	**Max Width Overall**	**Max Width Per Panel**	**Max Height**
LR059	Arianna LF	110"	88 1/2"	110"
LF007	Arianna Wide LF	110"	88 1/2"	102"
LF057	Brighton LF	110"	88 1/2"	106"
LR003	Brighton RD	112"	90 1/2"	M/L Cass. 62"/ L. Cass. 90"
LF005	Candler LF	110"	88 1/2"	110"
LF006	Candler Wide LF	110"	88 1/2"	110"
LR006	Chateau RD	110"	88 1/2"	M/L Cass. 86"/ L. Cass. 102"
LF003	Emberlyn LF	110"	88 1/2"	102"
LR007	Florence RD	110"	88 1/2"	M/L Cass. 70"/ L. Cass. 96"
LF009	Heirloom LF	110"	88 1/2"	102"
LR008	Insignia RD	110"	88 1/2"	M/L Cass. 68"/ L. Cass. 100"
LR009	Kingsley RD	110"	88 1/2"	M/L Cass. 80"/ L. Cass. 96"
LF004	Latitude LF	110"	88 1/2"	106"
LF012	Mohave LF	112"	90 1/2"	M/L Cass. 84"/ L. Cass. 110"
LR004	Mohave RD	112"	90 1/2"	M/L Cass. 80"/ L. Cass. 106"
LF013	Polished LF	110"	88 1/2"	110"
LF008	Ravello LF	110"	88 1/2"	100"
LF015	Shanghai LF	110"	88 1/2"	M/L Cass. 78"/ L. Cass. 100"
LF016	Summerlin LF	110"	88 1/2"	100"
LF058	Transcend LF	110"	88 1/2"	110"
LF011	Valhalla LF	110"	88 1/2"	106"
LF061	Whispy LF	110"	88 1/2"	M/L Cass. 90" / L.Cass. 100"
LF014	Woodward LF	110"	88 1/2"	M/L Cass. 90"/ L. Cass. 106"

NOTE: For 2-on-1 Center Gap is ½"

CRITICAL DIMENSIONS

FINISHED DIMENSIONS - SINGLE PANEL				
INSIDE MOUNT	**SecurLift™ Chainloop Control**	**PerfectPlacement™ Cordless Lift**	**InMotion™ Motorization**	**InMotion™ Wand**
Cassette Width	minus 1/4"	minus 1/4"	minus 1/4"	minus 1/4"
Tube Width	minus 1-1/8"	minus 1-7/8"	minus 1-5/16"	minus 1-5/16"
Fabric Width	minus 1-1/4"	minus 1"	minus 1- 7/16"	minus 1-7/16"
Bottom Rail	minus 1"	minus 3/4"	minus 1-3/16"	minus 1- 3/16"
OUTSIDE MOUNT	**SecurLift™ Chainloop Control**	**PerfectPlacement™ Cordless Lift**	**InMotion™ Motorization**	**InMotion™ Wand**
Cassette Width	Ordered Width	Ordered Width	Ordered Width	Ordered Width
Tube Width	minus 7/8"	minus 5/8"	minus 1-1/16"	minus 1-1/16"
Fabric Width	minus 1"	minus 3/4"	minus 1-3/16"	minus 1- 3/16"
Bottom Rail	minus 3/4"	minus 1/2"	minus 7/8"	minus 7/8"

FINISHED DIMENSIONS - 2-ON-1 HEADRAIL				
INSIDE MOUNT	**SecurLift™ Chainloop Control**	**PerfectPlacement™ Cordless Lift**	**InMotion™ Motorization**	**InMotion™ Wand**
Cassette Width	minus 1/4"	minus 1/4"	minus 1/4"	minus 1/4"
Tube Width	minus 1-3/4"	minus 1-1/8"	minus 2-1/4"	minus 2-1/4"
Fabric Width	minus 2"	minus 2-3/8"	minus 2-1/2"	minus 2-1/2"
Bottom Rail	minus 1-1/2"	minus 1"	minus 2"	minus 2"
OUTSIDE MOUNT	**SecurLift™ Chainloop Control**	**PerfectPlacement™ Cordless Lift**	**InMotion™ Motorization**	**InMotion™ Wand**
Cassette Width	Ordered Width	Ordered Width	Ordered Width	Ordered Width
Tube Width	minus 1-1/2"	minus 1"	minus 2"	minus 2"
Fabric Width	minus 1-3/4"	minus 1-1/4"	minus 2-1/4"	minus 2-1/4"
Bottom Rail	minus 1-1/4"	minus 7/8"	minus 1-3/4"	minus 1-3/4"


NOTES: Deductions are taken from **Ordered Width**. Shade Height is **Ordered Height**

INSTALLATION BRACKETS				
	Number of Brackets			
Shade Width	**SecurLift™ Chainloop Control**	**PerfectPlacement™ Cordless Lift**	**InMotion™ Motorization**	**InMotion™ Wand**
>=54	2	2	2	2
< 54 1/8" >= 96	3	3	3	3
>96 1/8"	4	4	4	4

MOUNTING DEPTH		
INSIDE MOUNT	**Minimum Mounting Depth**	**Flush Mounting Depth**
Medium Cassette	1-1/2"	3-3/4"
Medium Cassette No Drill Headrail - EasyMount™	2-1/4"	3-3/4"
Large Cassette	1-1/2"	4-3/8"
OUTSIDE MOUNT	**Minimum Mounting Surface Height**	
Medium Cassette	3-1/8"	
Large Cassette	4"	


LIGHT GAPS (Fabric Width is narrowrer than the finished shade)		
Operating System	**Inside Mount**	**Outside Mount**
SecurLift™ Chainloop	13/16"	N/A
PerfectPlacement™ Cordless Lift	5/8"	N/A
InMotion™ Motorization	15/16"	N/A
InMotion™ Wand	15/16"	N/A

WINDOW AND MEASURING TERMINOLOGY




WINDOW COMPONENTS TERMINOLOGY

- Collectively, the sill and jambs are called the “window casement” or "frame".




INSIDE MOUNT

- Shade fits within window opening.
- Great for windows with beautiful trim.



OUTSIDE MOUNT


- Shade mounts outside window opening.
- Increased light control and privacy.




2-ON-1 HEADRAIL

- Provides the clean appearance of a single shade with the ability to operate each shade independently.
- Can be mounted inside or outside.

HOW TO MEASURE QUICKLY AND ACCURATELY



INSIDE MOUNT



OUTSIDE MOUNT

INSIDE MOUNT (IM) INSTALLATION — For a beautiful framed look

❶ MEASURE WIDTH

Measure to the nearest ⅛ in. between inside surfaces of window frame; at the top, middle, and bottom.

Record the narrowest width of the three.

❷ MEASURE HEIGHT

Measure to the nearest ⅛ in. from inside surface at top of window to top of sill; at the left, middle, and right.

Record the tallest height of the three.

❸ MEASURE DEPTH

Measure exact depth of window casing making note of any obstacles i.e. handles, tracks or cranks that could interfere with the blind or shade function.

Use the shortest depth.

OUTSIDE MOUNT (OM) INSTALLATION — For increased light control and privacy

❶ MEASURE WIDTH

Measure to the nearest ⅛ in. between outermost points where shade is to be placed.

Measurement should overlap each side of window frame by at least 1 ½ in.

❷ MEASURE HEIGHT

Measure to the nearest ⅛ in. from where top of shade will be located to top of sill, or measure to point of shade reach if no sill.

HELPFUL HINTS

- Always use a metal tape measure as cloth may stretch
- Measure your window - not your existing blind or shade
- Measure each window separately even if they appear to be identical
- Check depth to ensure shade will clear any obstacles and can accommodate headrail if flush mount is desired
- If you prefer shade not to touch sill, deduct ¼"
- If there is no sill, measure height to point where shade is to reach

NOTE: Take all measurements to the nearest ⅛ in. **DO NOT** take any deductions. The factory will make the necessary adjustments to help ensure your window covering operates smoothly.

Visit www.LEVOLOR.ca/how-to-measure for more measuring information

HOW TO MEASURE MULTIPLE SHADES ON ONE HEADRAIL

INSIDE MOUNT (IM) INSTALLATION

— For a beautiful framed look

❶ MEASURE WIDTH

Total Shade Width — Measure to the nearest ⅛ in. between inside surfaces of window frame; at the top, middle, and bottom.

Record the narrowest width of the three.

Left Shade Width — Measure the width that you want the left shade to cover.

Order this shade first when placing your order.

Right Shade Width — Measure the width that you want the right shade to cover.

❷ MEASURE HEIGHT

Overall Shade Height — Measure to the nearest ⅛ in. from inside surface at top of window to top of sill; at the left, middle and right.


Record the tallest height of the three.

❸ MEASURE DEPTH

Measure exact depth of window casing making note of any obstacles i.e. handles, tracks or cranks that could interfere with the blind or shade function.

Use the shortest depth.

2-on-1 Headrail



OUTSIDE MOUNT (0M) INSTALLATION

— For increased light control and privacy

❶ MEASURE WIDTH

Overall Shade Width — Measure to the nearest ⅛ in. between outermost points where shade is to be placed.

Add an additional 3 in. to 6 in. to total width for maximum privacy.

Left Shade Width — Measure the width that you want the left shade to cover.

Order this shade first when placing your order.

Right Shade Width — Measure the width that you want the right shade to cover.

❷ MEASURE HEIGHT

Overall Shade Height — Measure to the nearest ⅛ in. from where top of shade will be located to top of sill, or measure to point of shade reach if no sill.

2-ON-1 HELPFUL HINTS:

- Order the left shade first when placing order
- Each shade operates separately
- 2-on-1 center gap is ½"
- There will be a gap between the fabric on the left and right shades to operate independently
- Always use a metal tape measure as cloth may stretch
- Take all measurements to the nearest ⅛ inch. DO NOT take any deductions
- The factory will make the necessary adjustments to help ensure your shade operates smoothly
- See 2-on-1 Shade Specifications charts for specs
- Price as 2 individual shades (shade + operating system) and add together. Include any additional options or accessories

LEVOLOR® LIMITED LIFETIME WARRANTY FOR CUSTOM BLINDS AND SHADES

What is Covered?

LEVOLOR® extends a limited lifetime warranty on the enclosed product to the original residential retail purchaser only if the product was properly installed and remains in the original window.

The product is covered against manufacturing defects (i. e., a flaw in the product design, materials or workmanship that causes the product to no longer function) and has a limited lifetime warranty. Lifetime warranty extends for the life of the product as defined by category:

Product	From Date of Manufacture
Banded Shades	10 years
Cellular Shades	10 years
Faux Wood Blinds	10 years
Panel Track Shades	10 years
Real Wood Blinds	10 years
Roller Shades	10 years
Sheer Shadings	10 years
Vertical Blinds	10 years (with the exception of vertical vinyl vanes)
Vertical vinyl vanes	3 years
Operating System	**From Date of Manufacture**
InMotion™ (includes accessories)	5 years

What is Not Covered?

Normal wear and tear
Any product that fails due to:

- Abuse
- Accident
- Alterations
- Damage from pets/insects
- Exposure to salt air
- Extraordinary use
- Improper cleaning
- Improper handling
- Improper installation
- Improper operation
- Misapplication
- Misuse

Any product that, with the passage of time, exhibits:

- Loss of colour intensity (including, but not limited to fabric, plastic parts, and wood finishes)
- Loss of pleating if product is not held in raised position a portion of the time
- Yellowing or cracking of plastic parts or faux wood product
- Creeping, sagging, or billowing of cordless product that is not properly raised and lowered daily

Natural material (including, but not limited to wood, grass, jute, reeds) products that have:

- Variation in colour, grain, or texture
- Warping or cracking of wood slats in high-humidity and/or in high-heat areas

Costs associated with:

- Product removal
- Product remeasure
- Product reinstallation
- Transportation to and from the retailer
- Incidental or consequential damages
- Shipping
- Brand label removal

In the event there are multiple blinds/shades in the same room, only the defective blind /shade will be replaced.

To Report Shipping Damage

If damage occurred during shipping, call 1-800-538-6567 and report within 14 calendar days of delivery or you may be denied credit for your damaged product.

To Obtain Service

For online product-specific trouble shooting information, refer to www.levolor.ca

If you suspect this Levolor product has a manufacturing defect in materials or workmanship:

1. Locate the sales receipt (proof of purchase)
2. Call 1-800-538-6567

Any unauthorized returns will not be accepted.

Warranty Remedy

THIS SHALL BE YOUR SOLE REMEDY UNDER THIS LIMITED WARRANTY
If this Levolor product is found to have a manufacturing defect in materials or workmanship, we will (at our discretion) do one of the following:

- Repair the product
- Replace the product
- Refund the cost of the product

- Colours vary from lot to lot and may not exactly match sample swatch or previous purchases
- Discontinued items or colour selections will be replaced with the closest equivalent current product

Your Rights Under State or Provincial Law

This limited lifetime warranty gives you specific legal rights, and you may have other rights, which vary from state to state/province to province. Some states/provinces do not allow limitations on how long a warranty lasts, so the above limitations may not apply to you.

No agent, representative, dealer, or unauthorized employee has the authority to increase or alter the obligation of this warranty. This limited lifetime warranty supersedes any previous versions.