LEVOLOR®



Custom Cellular Shades

Pricing and Technical Guide

Abaca Linen
Cambrica
Classic
Crosshatch
Dappled
Designer Colors
SheerCell™
Silk Weave

May 2024
(rev. 10.15.25)

more info visit **LEVOLOR.ca**

TABLE OF CONTENTS

Fabric Index CS-2
Hardware Colours CS-3
Fabric Colour Charts CS-3-CS-7
Fabric Stacking Chart CS-8
Side Channels CS-8
Operating Systems CS-9
InMotion™ Accessories CS-10-CS-11
No Drill Headrail - EasyMount™ CS-12
Critical DImensions Cordless CS-13-CS-15
Critical Dimensions Cordless TD/BU BandLift CS-16
Max Drop Lengths Cordless CS-17
Critical Dimensions InMotion™ Motorization CS-18
Max Drop Lengths InMotion™ Motorization CS-19-CS-20
Critical DImensions InMotion™ Wand CS-21
Max Drop Lengths InMotion™ Wand CS-22
Critical DImensions Arch CS-23
How to Measure Quickly and Accurately CS-24
How to Measure Multiple Shades on One Headrail CS-25
Window and Measuring Terminology CS-26
Cleaning and Care CS-27
Terms and Conditions CS-28
Warranty CS-29
Pricing Grids

9/16" Cellular Shades Pricing and Technical Guide is located after pages CS-P11

FABRIC INDEX

MOST PATTERNS ARE MADE FROM UNIQUE, DURABLE, POLYESTER FABRICS THAT REPEL DIRT, RESIST STAINS AND CLEAN EASILY.

Pattern Name		# of Cells	Care Code	GREENGUARD Certification	Light Control	Not Available With	Options
Abaca Linen - 1-1/4" Single Cell Light Filtering	ABL7	Single	1, 2 & 3	Yes	C	Arches, Cordless Day/Night, Cordless 3-on-1, Top-Down/ Bottom-Up BandLift	• Arches • Cordless Lift • Cordless 2-on-1 • Cordless 3-on-1 • Cordless Day/Night • Cordless TDBU BandLift • InMotion™ Wand - Bottom Up - 2-on-1 • InMotion™ Motorization - Bottom Up - 2-on-1 - Day/Night
Abaca Linen - 3/4" Single Cell Light Filtering	ABL1	Single	1, 2 & 3	Yes	C	Arches	
Cambrica - 1-1/4" Single Cell Blackout	CBC9	Single	1, 2 & 3	Yes	E	Arches, Cordless Day/Night, Cordless 3-on-1, Top-Down/ Bottom-Up BandLift	
Cambrica - 1-1/4" Single Cell Light Filtering	CBC7	Single	1, 2 & 3	Yes	C	Arches, Cordless Day/Night, Cordless 3-on-1, Top-Down/ Bottom-Up BandLift	
Cambrica - 3/4" Single Cell Blackout	CBC3	Single	1, 2 & 3	Yes	E	-	
Cambrica - 3/4" Single Cell Light Filtering	CBC1	Single	1, 2 & 3	Yes	C	-	
Classic - 3/4" Single Cell Light Filtering	CLC1	Single	1, 2 & 3	Yes	C	Arches, Top-Down/Bottom-Up BandLift	
Classic - 3/4" Single Cell Blackout	CLC3	Single	1, 2 & 3	Yes	E	Arches, Top-Down/Bottom-Up BandLift	
Crosshatch - 1-1/4" Single Cell Blackout	CHC9	Single	1, 2 & 3	Yes	E	Arches, Cordless Day/Night, Cordless 3-on-1, Top-Down/ Bottom-Up BandLift	
Crosshatch - 1-1/4" Single Cell Light Filtering	CHC7	Single	1, 2 & 3	Yes	C	Arches, Cordless Day/Night, Cordless 3-on-1, Top-Down/ Bottom-Up BandLift	
Crosshatch - 1/2" Double Cell Light Filtering	CHC2	Double	1, 2 & 3	Yes	C	Cordless Day/Night, Top-Down/ Bottom-Up BandLift	
Crosshatch - 3/4" Single Cell Blackout	CHC3	Single	1, 2 & 3	Yes	E	-	
Crosshatch - 3/4" Single Cell Light Filtering	CHC1	Single	1, 2 & 3	Yes	C	-	
Dappled - 3/4" Single Cell Light Filtering	DPL1	Single	1, 2 & 3	Yes	C	Arches, Top-Down/Bottom-Up BandLift	
Designer Colors - 1/2" Double Cell Blackout	LDC4	Double	1, 2 & 3	Yes	E	Arches, Cordless Day/Night, Top-Down/Bottom-Up BandLift	
Designer Colors - 1/2" Double Cell Light Filtering	LDC2	Double	1, 2 & 3	Yes	C	Arches, Cordless Day/Night, Top-Down/Bottom-Up BandLift	
Designer Colors - 3/4" Single Cell Blackout	LDC3	Single	1, 2 & 3	Yes	E	Arches, Top-Down/Bottom-Up BandLift	
Designer Colors - 3/4" Single Cell Light Filtering	LDC1	Single	1, 2 & 3	Yes	C	Arches, Top-Down/Bottom-Up BandLift	
SheerCell™ - 3/4" Single Cell Sheer	SHC1	Single	1, 2 & 3	Yes	A	-	
Silkweave - 1-1/4" Single Cell Blackout	SLK9	Single	1, 2 & 3	Yes	E	Arches, Cordless Day/Night, Cordless 3-on-1, Top-Down/ Bottom-Up BandLift	
Silkweave - 1-1/4" Single Cell Light Filtering	SLK7	Single	1, 2 & 3	Yes	C	Arches, Cordless Day/Night, Cordless 3-on-1, Top-Down/ Bottom-Up BandLift	
Silkweave - 1/2" Double Cell Light Filtering	SLK2	Double	1, 2 & 3	Yes	C	Cordless Day/Night, Top-Down/ Bottom-Up BandLift	
Silkweave - 3/4" Single Cell Blackout	SLK3	Single	1, 2 & 3	Yes	E	-	
Silkweave - 3/4" Single Cell Light Filtering	SLK1	Single	1, 2 & 3	Yes	C	-	

Care Method 1
Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all Honeycomb Shade surfaces which are lightly soiled.

Care Method 2
Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all Honeycomb Shade surfaces which need spot cleaning.

Care Method 3
Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all Honeycomb Shade surfaces which are heavily soiled.



A. Glare Reducing
Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Filtering
Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Shading
Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker coloured materials tend to provide stronger screening than lighter coloured materials in this category.



D. Blocking
Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout slats and vanes).




E. Blackout
Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

HARDWARE COLOURS

Cellular Hardware Colour Coordination Guide

Coordinating hardware colours (shown below) are pre-selected based on fabric colour. Hardware colours include non-fabric wrapped rails and end caps.



NOTE: The actual colour of the hardware may vary from the samples in the color coordination guide as colour lot variations can occur in fabrics and hardware. For the best colour match, order all shades for a room at the same time. Pattern availability and colour lot match between orders is not guaranteed.

FABRIC COLOUR CHARTS

3/4" Single Cell Fabrics (Light Filtering and Blackout)

FABRIC			
Code	Colour #	Colour Name	Hardware Colour
Classic - 3/4" Cell - Light Filtering			
CLC1	6053	Flaxseed	206
CLC1	6054	Powder	661
CLC1	6052	Stone	401

FABRIC			
Code	Colour #	Colour Name	Hardware Colour
Dappled - 3/4" Cell - Light Filtering			
DPL1	6011	Pebble Sand	206
DPL1	6010	Pebble Stone	401

FABRIC			
Code	Colour #	Colour Name	Hardware Colour
Classic - 3/4" Cell - Blackout			
CLC3	6053	Flaxseed	206
CLC3	6054	Powder	661
CLC3	6051	Russet	83
CLC3	6052	Stone	401
CLC3	6050	Willow	862

FABRIC COLOUR CHARTS

3/4" Single Cell Fabrics & 1/2" Double Cell Fabrics - Light Filtering and Blackout

FABRIC			Hardware Colour
Code	Colour #	Colour Name	
Designer Colors - 3/4" Cell - Light Filtering			
LDC1	4806	Cappuccino	841
LDC1	4810	Cinnamon	187
LDC1	4814	Cool White	661
LDC1	4818	Corriandor	841
LDC1	4821	Daylight	878
LDC1	4807	Deep Sea	450
LDC1	4804	Dovetail	401
LDC1	4800	Flintrock	405
LDC1	4811	Fossil	689
LDC1	4819	Fresh Air	018
LDC1	4803	Graystone	276
LDC1	4822	Green Tea	135
LDC1	4816	Honeywheat	882
LDC1	4809	Magnolia	135
LDC1	4815	Minty	785
LDC1	4808	Moonlight	450
LDC1	4817	Nutmeg	849
LDC1	4805	Oyster	206
LDC1	4812	Pure White	661
LDC1	4801	Raven	048
LDC1	4802	Silvermist	862
LDC1	4820	Soft Taupe	810
LDC1	4813	Terracotta	187
LDC1	4823	Warm White	785

FABRIC			Hardware Colour
Code	Colour #	Colour Name	
Designer Colors - 1/2" Double Cell - Light Filtering			
LDC2	4806	Cappuccino	841
LDC2	4810	Cinnamon	187
LDC2	4814	Cool White	661
LDC2	4818	Corriandor	841
LDC2	4821	Daylight	878
LDC2	4807	Deep Sea	450
LDC2	4804	Dovetail	401
LDC2	4800	Flintrock	405
LDC2	4811	Fossil	689
LDC2	4819	Fresh Air	018
LDC2	4803	Graystone	276
LDC2	4822	Green Tea	135
LDC2	4816	Honeywheat	882
LDC2	4809	Magnolia	135
LDC2	4815	Minty	785
LDC2	4808	Moonlight	450
LDC2	4817	Nutmeg	849
LDC2	4805	Oyster	206
LDC2	4812	Pure White	661
LDC2	4801	Raven	048
LDC2	4802	Silvermist	862
LDC2	4820	Soft Taupe	810
LDC2	4813	Terracotta	187
LDC2	4823	Warm White	785

FABRIC			Hardware Colour
Code	Colour #	Colour Name	
Designer Colors - 3/4" Cell - Blackout			
LDC3	4806	Cappuccino	841
LDC3	4810	Cinnamon	187
LDC3	4814	Cool White	661
LDC3	4818	Corriandor	841
LDC3	4821	Daylight	878
LDC3	4807	Deep Sea	450
LDC3	4804	Dovetail	401
LDC3	4800	Flintrock	405
LDC3	4811	Fossil	689
LDC3	4819	Fresh Air	18
LDC3	4803	Graystone	276
LDC3	4822	Green Tea	135
LDC3	4816	Honeywheat	882
LDC3	4809	Magnolia	135
LDC3	4815	Minty	785
LDC3	4808	Moonlight	450
LDC3	4817	Nutmeg	849
LDC3	4805	Oyster	206
LDC3	4812	Pure White	661
LDC3	4801	Raven	48
LDC3	4802	Silvermist	862
LDC3	4820	Soft Taupe	810
LDC3	4813	Terracotta	187
LDC3	4823	Warm White	785

FABRIC			Hardware Colour
Code	Colour #	Colour Name	
Designer Colors - 1/2" Double Cell - Blackout			
LDC4	4806	Cappuccino	841
LDC4	4810	Cinnamon	187
LDC4	4814	Cool White	661
LDC4	4818	Corriandor	841
LDC4	4821	Daylight	878
LDC4	4807	Deep Sea	450
LDC4	4804	Dovetail	401
LDC4	4800	Flintrock	405
LDC4	4811	Fossil	689
LDC4	4819	Fresh Air	18
LDC4	4803	Graystone	276
LDC4	4822	Green Tea	135
LDC4	4816	Honeywheat	882
LDC4	4809	Magnolia	135
LDC4	4815	Minty	785
LDC4	4808	Moonlight	450
LDC4	4817	Nutmeg	849
LDC4	4805	Oyster	206
LDC4	4812	Pure White	661
LDC4	4801	Raven	48
LDC4	4802	Silvermist	862
LDC4	4820	Soft Taupe	810
LDC4	4813	Terracotta	187
LDC4	4823	Warm White	785

FABRIC COLOUR CHARTS

3/4" Single Cell Fabrics - Light Filtering, Sheer, and Blackout

FABRIC			Hardware Colour
Code	Colour #	Colour Name	
Abaca Linen - 3/4" Cell - Light Filtering			
ABL1	4753	Alabaster	785
ABL1	4754	Bone	785
ABL1	4752	Crisp White	661
ABL1	4756	Ginger Root	180
ABL1	4759	Irony	405
ABL1	4755	Mushroom	401
ABL1	4761	Nightsky	450
ABL1	4760	Obsidion	48
ABL1	4750	Sepia	810
ABL1	4757	Silverdrop	18
ABL1	4758	Stonewall	276
ABL1	4751	Tapioca	862
Cambrica - 3/4" Cell - Light Filtering			
CBC1	4551	Candlelight	862
CBC1	4550	Ivory	785
CBC1	4557	Light Fog	018
CBC1	4554	Slate	450
CBC1	4556	Taupe	401
CBC1	4553	Titanium	401
CBC1	4552	Tumbleweed	862
CBC1	4555	Whisper	785
Crosshatch - 3/4" Cell - Light Filtering			
CHC1	4852	Biscotti	862
CHC1	4854	High Cotton	661
CHC1	4856	Rhodium	018
CHC1	4855	Shadow	405
CHC1	4850	Silver Fox	401
CHC1	4853	Steel Wool	276
CHC1	4851	Vanilla Bean	862
CHC1	4857	Work Chino	862
SheerCell™ - 3/4" Cell - Light Filtering			
SHC1	5962	Chiffon	862
SHC1	5960	Frost	661
SHC1	5961	Pearl	862
Silk Weave - 3/4" Cell - Light Filtering			
SLK1	4657	Beechwood	206
SLK1	4653	Blue Steel	450
SLK1	4655	Galactic	276
SLK1	4651	Lucky Penny	810
SLK1	4652	Silver Coin	748
SLK1	4656	Sweet Cream	206
SLK1	4654	White Satin	785
SLK1	4650	Woodwind	180

FABRIC			Hardware Colour
Code	Colour #	Colour Name	
Cambrica - 3/4" Cell - Blackout			
CBC3	4551	Candlelight	862
CBC3	4550	Ivory	785
CBC3	4557	Light Fog	018
CBC3	4554	Slate	450
CBC3	4556	Taupe	401
CBC3	4553	Titanium	401
CBC3	4552	Tumbleweed	862
CBC3	4555	Whisper	785
Crosshatch - 3/4" Cell - Blackout			
CHC3	4852	Biscotti	862
CHC3	4854	High Cotton	661
CHC3	4856	Rhodium	018
CHC3	4855	Shadow	405
CHC3	4850	Silver Fox	401
CHC3	4853	Steel Wool	276
CHC3	4851	Vanilla Bean	862
CHC3	4857	Work Chino	862
Silk Weave - 3/4" Cell - Blackout			
SLK3	4657	Beechwood	206
SLK3	4653	Blue Steel	450
SLK3	4655	Galactic	276
SLK3	4651	Lucky Penny	810
SLK3	4652	Silver Coin	748
SLK3	4656	Sweet Cream	206
SLK3	4654	White Satin	785
SLK3	4650	Woodwind	180

FABRIC COLOUR CHARTS

1/2" Double Cell Fabrics - Light Filtering

FABRIC			Hardware Colour
Code	Colour #	Colour Name	
Crosshatch - 1/2" Double Cell - Light Filtering			
CHC2	4852	Biscotti	862
CHC2	4854	High Cotton	661
CHC2	4856	Rhodium	018
CHC2	4855	Shadow	405
CHC2	4850	Silver Fox	401
CHC2	4853	Steel Wool	276
CHC2	4851	Vanilla Bean	862
CHC2	4857	Work Chino	862
Silk Weave - 1/2" Double Cell - Light Filtering			
SLK2	4657	Beechwood	206
SLK2	4653	Blue Steel	450
SLK2	4655	Galactic	276
SLK2	4651	Lucky Penny	810
SLK2	4652	Silver Coin	748
SLK2	4656	Sweet Cream	206
SLK2	4654	White Satin	785
SLK2	4650	Woodwind	180

FABRIC COLOUR CHARTS

1-1/4" Single Cell Fabrics - Light Filtering and Blackout

FABRIC			Hardware Colour
Code	Colour #	Colour Name	
Abaca Linen - 1-1/4" Single Cell - Light Filtering			
ABL7	4753	Alabaster	785
ABL7	4754	Bone	862
ABL7	4752	Crisp White	661
ABL7	4756	Ginger Root	180
ABL7	4759	Irony	276
ABL7	4755	Mushroom	401
ABL7	4761	Nightsky	450
ABL7	4760	Obsidion	048
ABL7	4750	Sepia	810
ABL7	4757	Silverdrop	018
ABL7	4758	Stonewall	276
ABL7	4751	Tapioca	862
Cambrica - 1-1/4" Single Cell - Light Filtering			
CBC7	4551	Candlelight	862
CBC7	4550	Ivory	785
CBC7	4557	Light Fog	018
CBC7	4554	Slate	450
CBC7	4556	Taupe	401
CBC7	4553	Titanium	401
CBC7	4552	Tumbleweed	862
CBC7	4555	Whisper	785
Crosshatch - 1-1/4" Single Cell - Light Filtering			
CHC7	4852	Biscotti	862
CHC7	4854	High Cotton	661
CHC7	4856	Rhodium	018
CHC7	4855	Shadow	405
CHC7	4850	Silver Fox	765
CHC7	4853	Steel Wool	276
CHC7	4851	Vanilla Bean	862
CHC7	4857	Work Chino	862
Silk Weave - 1-1/4" Single Cell - Light Filtering			
SLK7	4657	Beechwood	206
SLK7	4653	Blue Steel	450
SLK7	4655	Galactic	276
SLK7	4651	Lucky Penny	083
SLK7	4652	Silver Coin	748
SLK7	4656	Sweet Cream	206
SLK7	4654	White Satin	785
SLK7	4650	Woodwind	180

FABRIC			Hardware Colour
Code	Colour #	Colour Name	
Cambrica - 1-1/4" Single Cell - Blackout			
CBC9	4551	Candlelight	862
CBC9	4550	Ivory	785
CBC9	4557	Light Fog	018
CBC9	4554	Slate	450
CBC9	4556	Taupe	401
CBC9	4553	Titanium	401
CBC9	4552	Tumbleweed	862
CBC9	4555	Whisper	785
Crosshatch - 1-1/4" Single Cell - Blackout			
CHC9	4852	Biscotti	862
CHC9	4854	High Cotton	661
CHC9	4856	Rhodium	018
CHC9	4855	Shadow	405
CHC9	4850	Silver Fox	765
CHC9	4853	Steel Wool	276
CHC9	4851	Vanilla Bean	862
CHC9	4857	Work Chino	862
Silk Weave - 1-1/4" Single Cell - Blackout			
SLK9	4657	Beechwood	206
SLK9	4653	Blue Steel	450
SLK9	4655	Galactic	276
SLK9	4651	Lucky Penny	083
SLK9	4652	Silver Coin	748
SLK9	4656	Sweet Cream	206
SLK9	4654	White Satin	785
SLK9	4650	Woodwind	180

FABRIC STACKING CHART

Pattern Name		48" Shade Drop	72" Shade Drop	84" Shade Drop	108" Shade Drop
Classic - 3/4" Light Filtering	CLC1	1"	1"	1-1/4"	1-3/4"
Classic - 3/4" Blackout	CLC3	7/8"	7/8"	1-1/8"	1-5/8"
Dappled - 3/4" Light Filtering	DPL1	1"	1"	1-1/4"	1-3/4"
Designer Colors - 3/4" Single Cell Light Filtering	LDC1	1"	1-1/2"	1-3/4"	2-1/2"
Designer Colors - 3/4" Single Cell Blackout	LDC3	7/8"	1-1/4"	1-1/2"	1-3/4"
Designer Colors - Double Cell Light Filtering	LDC2	1-5/8"	2-1/2"	2-5/8"	3-5/8"
Designer Colors - Double Cell Blackout	LDC4	3/4"	1-1/4"	1-1/2"	3"
Abaca Linen - 3/4" Light Filtering	ABL1	1/2"	7/8"	1"	1-1/2"
Cambrica - 3/4" Light Filtering	CBC1	1/2"	1"	1-1/8"	1-1/2"
Cambrica - 3/4" Blackout	CBC3	7/8"	7/8"	1"	1-1/4"
Crosshatch - 3/4" Light Filtering	CHC1	1/2"	7/8"	1"	1-1/2"
Crosshatch - 3/4" Blackout	CHC3	7/8"	1"	1-1/4"	1-5/8"
SheerCell™ - 3/4" Sheer	SHC1	1-1/4"	1-1/4"	1-1/2"	1-3/4"
Silk Weave - 3/4" Light Filtering	SLK1	1/2"	7/8"	1"	1-1/2"
Silk Weave - 3/4" Blackout	SLK3	7/8"	1"	1-1/4"	1-5/8"
Crosshatch - 1/2" Double Cell	CHC2	1-1/4"	1-1/2"	1-3/4"	2-1/4"
Silk Weave - 1/2" Double Cell	SLK2	1-1/4"	1-1/2"	1-3/4"	2-1/4"
Abaca Linen - 1-1/4" Light Filtering	ABL7	5/8"	1"	1-1/8"	1-1/4"
Cambrica - 1-1/4" Light Filtering	CBC7	5/8"	1"	1-1/8"	1-1/4"
Cambrica - 1-1/4" Blackout	CBC9	3/4"	1-1/8"	1-1/4"	1-1/2"
Crosshatch - 1-1/4" Light Filtering	CHC7	5/8"	1"	1-1/8"	1-1/4"
Crosshatch - 1-1/4" Blackout	CHC9	3/4"	1-1/8"	1-1/4"	1-1/2"
Silk Weave - 1-1/4" Light Filtering	SLK7	5/8"	1"	1-1/8"	1-1/4"
Silk Weave - 1-1/4" Blackout	SLK9	3/4"	1-1/8"	1-1/4"	1-1/2"


NOTE: Measurements listed are provided for reference, actual stack height may vary.

Hardware System	Rail heights to be added to the above
Cordless, Motorized	2"

SIDE CHANNELS

Side Channels

- Available in 5 colours: white, gray, vanilla, bronze or black (must be indicated on order)
- High quality PVC side channel installs in minutes (not pre-drilled)
- Offers additional privacy and room darkening
- Inside Mount Only
- Available with Cordless, InMotion™ Wand and InMotion™ Motorization operating systems
- Not available with Cordless 2-on-1, 3-on-1, or Top-Down/ Bottom-Up BandLift
- If Side Channels are selected, 1/2" will be deducted in addition to the 1/4" for inside mount
- Cannot be ordered separately



Width 1-3/8"
Depth 1/2"

OPERATING SYSTEMS



Cordless

- A Best for Kids option that is safer for homes with children and pets
- No lift cords give your window a clean, finished look
- Clear handle blends in with the fabric
- Raise and lower your shade without touching the fabric



InMotion™ Wand

- Includes integrated rechargeable battery, eliminating the need for disposable batteries
- Single touch push button power wand moves shade up and down and sets a favourite position
- Simple programming for worry free operation. Shade comes preprogrammed
- Available in 5 colours : Black, Bronze, Gray, Vanilla, and White (colour must be selected by consumer at time of order)
- Available with 2-on-1
- Charging kit included (10 ft cable)
- Not compatible with HUB or Solar Charger
- Wand lengths are available in: 1 ft (12”), 2 ft (24”), 3 ft (36”), 4 ft (48”), 5 ft (60”) (must be selected at time of order)

Shade Length	Suggested Wand Length
Up to 30"	1' (12")
30 1/8" to 52"	2' (24")
52 1/8" to 78"	3' (36")
78 1/8" to 100"	4' (48")
100 1/8" to 120"	5' (60")



InMotion™ Motorization

- Includes integrated rechargeable battery, eliminating the need for disposable batteries
- Control shades with a 15-channel Hand-Held Remote or Wall-Mount Remote (sold separately)
- Charge via the USB charging port (10ft extension cable included)
- Available with 2-on-1
- Compatible with HUB and Solar Charger (both sold separately)

Visit LEVOLOR.ca for additional information.

NOTE: LEVOLOR® InMotion™ is not compatible with products from the previous LEVOLOR® motorization program. This includes blinds/shades that are controlled with the previous LEVOLOR app, 3-channel remote, and 6-channel remote.

For additional information visit LEVOLOR.ca

INMOTION™ ACCESSORIES (SOLD SEPARATELY)



Hand-Held Remote

- 15 channels
- 2 AAA batteries
- Not compatible with InMotion™ Wand



Wall-Mount Remote

- 15 channels
- Operates the same way as a handheld remote
- Low profile, surface mount
- One per floor recommended
- Quick and easy installation using two mounting screws
- 2 AA batteries
- Dimensions: 3.4" L x 3.4" W x .70" D
- Not compatible with InMotion™ Wand



Wi-Fi Hub

- Syncs with your Wi-Fi to enable app control and smart home integration
- USB plugs into any 5V/2A power source
- Organize shades by room
- See real-time shade position and battery charge status
- Store preset shade positions as scenes
- Create routines by scheduling scenes by day of week and time of day
- Adjust shades when you are away from home
- Links with Amazon Alexa, Google Home, and IFTTT
- App available to download for iOS and Android devices
- Not compatible with InMotion™ Wand



Solar Charger

- One solar charger per shade is required
- Solar charger plugs directly into the shade
- Solar charges the shade with renewable solar energy (sun)
- Solar charger and/or shade can also be charged using the included charging kit
- Mounts behind the shade (using separate brackets)
- Low profile mount
- Dimensions: 18.7" L x 2" W x .30" D
- Solar Charger cable 59"
- Not compatible with InMotion™ Wand


INMOTION™ SOLAR PANEL OVERVIEW

SPECIFICATIONS

Working Voltage (Vm):	5V
Open circuit voltage (Voc):	6.3V
Short-circuit current (Isc):	659mA
Working current (Im):	606mA
Max. Output Power (Under 1000W/m2):	3W

Electrical performance tolerance:	voltage ± 10%; current ± 10%
International solar energy inspection standards:	solar radiation 1000W/m2; 1.5 Air Mass; humidity 25° C
Electricity requirements (each solar panel includes solar battery cells):	conversion efficiency 21%; open circuit voltage (Voc) 6.3V
IP Rating:	IP55
Temp Working Range:	14°F to 122°F (-10°C to 50°C)

DIMENSIONS



DEFINE THE BEST LOCATION TO INSTALL


The solar panel is designed for indoor use only. To maximize the performance of the solar panel, it should be installed as close as possible to the window glass, allowing as much natural light as possible to reach the panel.

Important

Any element between the Sun light and the solar panel will impact the charging time, and in some situations, prohibit the use of a solar panel. Overcast weather is an example of possible obstruction that impossible to predict or control, but there are other elements that we should consider before installing a solar panel, like:

- Awnings
- Trees
- Deep Eaves
- Tall buildings and walls
- Insect Screen
- Others

Do Not Use Solar Panel Under Below Conditions



Awnings | Deep Eaves | Vegetation Blocking Light | Insect Screen

NO DRILL HEADRAIL - EASYMOUNT™








- No tools required
- Shade brackets are pre-installed on mounting rail
- Push levers up to secure mounting rail into the window frame opening
- Snap shade into the brackets to complete installation
- Inside Mount only
- Available on 1/2" Double and 3/4" Single Cell (not available on 1-1/4" & 9/16" cell sizes)
- Minimum mounting depth = 2-1/4"
- Mounting rail available in 5 colours: White, Vanilla, Gray, Bronze, and Black (must select at time of order)
- Available with: Cordless Lift, Cordless Top-Down/Bottom-Up, Cordless Day/Night, InMotion™ Wand, InMotion™ Motorization, and InMotion™ Day/Night
- Not available with extension brackets, side channels, side mount brackets, spacer blocks, or multiple shades per headrail
- No additional shade deductions will be taken other than standard inside mount deductions
- Price as single shade and add No Drill Headrail - EasyMount™ surcharge

NO DRILL HEADRAIL - EASYMOUNT™ SPECIFICATIONS						
	Cordless BU	**Cordless TDBU**	**Cordless Day/Night**	**InMotion™ Wand**	**InMotion™ Motorization**	**InMotion™ Motorization Day/Night**
Min Width	16"	18-3/8"	18-1/8"	21"	18-1/8"	30-1/8"
Min Height	12"	16"	12"	12"	12"	18"
Max Width	84"	84"	84"	84"	84"	84"
Max Height*	84"	84"*	84"	84"*	84"*	84"

*See product Max Drop Lengths *charts* for specifications by fabric/operating system.

CRITICAL DIMENSIONS - CORDLESS LIFT SINGLE SHADE

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.



Cordless Lift System easily lifts and lowers from colour-coordinated bottomrail.

- Cordless cellular shades come with a clear snap-on handle. Shades over 42" in width will have 2 handles.
- **Due to operating system limitations, ensure to reference the Max Drop Lengths - Cordless Lift Single Shades charts, as each fabric collection may have addtional width and height limitations. See page CS-16.**

CORLDESS LIFT - BOTTOM UP - SINGLE SHADE - CRITICAL DIMENSIONS (INCHES)						
	Classic/Dappled		Designer Colors		Designer Colors	
	3/4" Single Cell		3/4" Single Cell		1/2" Double Cell	
	Light Filtering	Blackout	Light Filtering	Blackout	Light Filtering	Blackout
Min Width Net (net = after headrail deduction)	16"	16"	16"	16"	16"	16"
Max. Width	120"	120"	120"	96"	96"	96"
Max. Width – Side Mount	48"	48"	48"	48"	48"	48"
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	70	70	70	56	56	56

CORDLESS LIFT - BOTTOM UP - SINGLE SHADE - CRITICAL DIMENSIONS (INCHES)		
	All Remaining 3/4" Single and Double Cell Fabrics	All 1-1/4" Fabrics
Min Width Net (net = after headrail deduction)	16"	16"
Max. Width	120"	120"
Max. Width – Side Mount	48"	n/a
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (sq. ft.)	70	60

CORDLESS DAY/NIGHT SHADE - CRITICAL DIMENSIONS (INCHES)				
Top shade must be 3/4" SheerCell™	Classic/Dappled		Designer Colors	
	3/4" Single Cell		3/4" Single Cell	
	Light Filtering	Blackout	Light Filtering	Blackout
Min Width Net (net = after headrail deduction)	18"	18"	18"	18"
Max. Width	84"	84"	84"	72"
Max. Width – Side Mount	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max Area (sq. ft.)	49	49	49	49

CORDLESS DAY/NIGHT – CRITICAL DIMENSIONS (INCHES)	
Top shade must be 3/4" SheerCell™	All Remaining 3/4" Single
Min Width Net (net = after headrail deduction)	18"
Max. Width	84"
Max. Width – Side Mount	36"
Min. Height	12"
Max. Height	84"
Max Area (sq. ft.)	42

* Cordless Lift Day/Night is not available with any 1/2" double cell or 1-1/4"

CRITICAL DIMENSIONS - CORDLESS LIFT 2-ON-1 OR 3-ON-1 SHADES

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

Cordless Lift 2-on-1

CRITICAL DIMENSIONS (INCHES)						
	Classic/Dappled		**Designer Colors**		**Designer Colors**	
	3/4" Single Cell		**3/4" Single Cell**		**1/2" Double Cell**	
	Light Filtering	Blackout	Light Filtering	Blackout	Light Filtering	Blackout
Min Width Net (overall) (net = after headrail deduction)	32"	32"	32"	32"	32"	32"
Min Width (per panel)	16"	16"	16"	16"	16"	16"
Max Width (overall)	174"	174"	174"	174"	174"	174"
Max Width (per panel)	120"	120"	96"	96	96	96
Min Height	12"	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"	84"
Max Area (Sq/Ft)	70	70	70	56	56	56

2-on-1 Headrail is not available on Day/Night shades

Note: Side mount not available.

CRITICAL DIMENSIONS (INCHES)		
	All Remaining 3/4" Single Cell & 1/2" Double Cell Fabrics	**All 1-1/4" Fabrics**
Min Width Net (overall) (net = after headrail deduction)	32"	36"
Min Width (per panel)	16"	18"
Max Width (overall)	174"	120"
Max Width (per panel)	120"	96"
Min Height	12"	12"
Max Height	84"	84"
Max Area (Sq/Ft)	70	60

2-on-1 Headrail is not available on Day/Night shades

Note: Side mount not available.

Cordless Lift 3-on-1 Headrail

CRITICAL DIMENSIONS (INCHES)						
	Classic/Dappled		**Designer Colors**		**Designer Colors**	
	3/4" Single Cell		**3/4" Single Cell**		**1/2" Double Cell**	
	Light Filtering	Blackout	Light Filtering	Blackout	Light Filtering	Blackout
Min Width Net (overall) (net = after headrail deduction)	48"	48"	48"	48"	48"	48"
Min Width (per panel)	16"	16"	16"	16"	16"	16"
Max Width (overall)	174"	174"	174"	174"	174"	174"
Max Width (per panel)	120"	120"	96"	96	96	96
Min Height	12"	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"	84"
Max Area (Sq/Ft)	70	70	70	56	56	56

3-on-1 Headrail is not available on Day/Night shades

Note: Side mount not available.

CRITICAL DIMENSIONS (INCHES)	
	All Remaining 3/4" Single Cell & 1/2" Double Cell Fabrics
Min Width Net (overall) (net = after headrail deduction)	48"
Min Width (per panel)	16"
Max Width (overall)	174"
Max Width (per panel)	120"
Min Height	12"
Max Height	84"
Max Area (per panel) (Sq/Ft)	70

3-on-1 Headrail is not available on Day/Night shades, or 1-1/4" fabrics

Note: Side mount not available.

CORDLESS LIFT - SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

FINISHED DIMENSIONS

Cordless Lift 3/4" & Double Cell Fabrics

Inside (IM) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Side (SM) Mounts	
Headrail unit	– 1/2"
Shade height	ordered height
Fabric width	– 5/8"
Outside (OM) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"
2-on-1 & 3-on-1 Headrail	
Gap between panels	– 1/4"

Adjustments are taken from ordered dimensions
Use a metal tape measure for all measurements
Measurements may vary ± 1/8"

Cordless Lift 1-1/4" Fabrics

Inside (IM) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OM) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"
2-on-1 & 3-on-1 Headrail	
Gap between panels	– 1/4"

Adjustments are taken from ordered dimensions
Use a metal tape measure for all measurements
Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Inside (IM) & Side (SM) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OM) Mount	
Minimum flat vertical surface	1-1/2"
Headrail Dimensions	
Height	1-1/2"
Depth	2"

Inside (IM) Mount	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Outside (OM) Mount	
Minimum flat vertical surface	1-1/2"
Headrail Dimensions	
Height	1-1/2"
Depth	2-7/8"


Extension Pole

- 18"-36" extension pole
- Compatible with PerfectPlacement™ Cordless only



CRITICAL DIMENSIONS - CORDLESS TOP-DOWN/BOTTOM-UP BANDLIFT

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.



Cordless TDBU Bandlift Single Shade Critical Dimensions (inches)	
	3/4" Single Cell - Cambrica, Crosshatch & Silk Weave
Minimum Width OM	18-1/8"
Minimum Width IM	18-3/8"
Maximum Width	84"
Minimum Height	16"
Maximum Height	84"

NOTE: Top-Down/Bottom-Up BandLift is only available on 3/4" fabrics: Cambrica, Crosshatch, and Silk Weave

Conveniently open shades from the top down or bottom up.

- Cordless Top-Down/Bottom-Up BandLift shades come with a clear plastic handle on the intermediate and bottom rails. Shades over 42" in width will have 2 handles on both rails.
- Shades up to 54" will come with 2 bands. Shades over 54" will come with 3 bands.
- The intermediate rail is attached to the headrail with magnets. When operating wider shades it is recommended to pull the bottom rail down slowly to prevent the middle rail from detaching.
- Side Channels n/a.

Note:

- Not compatible with extension pole.
- Hold down brackets are required and must be installed for the shade to operate properly.

FINISHED DIMENSIONS – STANDARD

Cordless Top-Down/Bottom-Up BandLift available in 3/4" Single Cell fabric collections: Cambrica, Crosshatch and Silk Weave

Inside Mount (IM) - with Required Hold-Down Brackets	
Headrail unit	– 1/2"
Middle Rail	– 1/2"
Bottom Rail	– 1/2"
Shade height	– 1/2"
Fabric width	– 5/8"
Outside Mount (OM) - with Required Hold-Down Brackets	
Headrail unit	ordered width
Middle Rail	ordered width
Bottom Rail	ordered width
Shade height	ordered height
Fabric width	– 1/8"

MOUNTING REQUIREMENTS

Inside (IM) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OM) Mount	
Minimum flat vertical surface	1-1/2"
Headrail Dimensions	
Height	1-1/2"
Depth	2"

Adjustments are taken from ordered dimensions
Use a metal tape measure for all measurements
Measurements may vary ± 1/8"

MAX DROP LENGTHS – CORDLESS LIFT SINGLE SHADE

BOTTOM-UP SINGLE SHADE							
CELL SIZE	**SHADE NET WIDTH TO:**	**60"**	**72"**	**84"**	**96"**	**108"**	**120"**
ABL1	Abaca Linen - 3/4" Light Filtering	84"	84"	84"	84"	84"	84"
ABL7	Abaca Linen - 1-1/4" Light Filtering	84"	84"	84"	84"	80"	72"
CBC1	Cambrica - 3/4" Light Filtering	84"	84"	84"	84"	84"	84"
CBC3	Cambrica - 3/4" Blackout	84"	84"	84"	84"	84"	84"
CBC7	Cambrica - 1-1/4" Light Filtering	84"	84"	84"	84"	80"	72"
CBC9	Cambrica - 1-1/4" Blackout	84"	84"	84"	84"	80"	72"
CHC1	Crosshatch - 3/4" Light Filtering	84"	84"	84"	84"	84"	84"
CHC2	Crosshatch - 1/2" Double Cell	84"	84"	84"	84"	84"	84"
CHC3	Crosshatch - 3/4" Blackout	84"	84"	84"	84"	84"	84"
CHC7	Crosshatch - 1-1/4" Light Filtering	84"	84"	84"	84"	80"	72"
CHC9	Crosshatch - 1-1/4" Blackout	84"	84"	84"	84"	80"	72"
CLC1	Classic - 3/4" Light Filtering	84"	84"	84"	84"	84"	84"
CLC3	Classic - 3/4" Blackout	84"	84"	84"	84"	84"	84"
DPL1	Dappled - 3/4" Light Filtering	84"	84"	84"	84"	84"	84"
LDC1	Designer Colors - 3/4" Light Filtering	84"	84"	84"	84"	n/a	n/a
LDC2	Designer Colors - 1/2" Double Cell Light Filtering	84"	84"	84"	84"	n/a	n/a
LDC3	Designer Colors - 3/4" Blackout	84"	84"	84"	84"	n/a	n/a
LDC4	Designer Colors - 1/2" Double Cell Blackout	84"	84"	84"	84"	n/a	n/a
SHC1	SheerCell™ - 3/4" Sheer	84"	84"	84"	84"	84"	84"
SLK1	Silkweave - 3/4" Light Filtering	84"	84"	84"	84"	84"	84"
SLK2	Silkweave - 1/2" Double Cell	84"	84"	84"	84"	84"	84"
SLK3	Silkweave - 3/4" Blackout	84"	84"	84"	84"	84"	84"
SLK7	Silkweave - 1-1/4" Light Filtering	84"	84"	84"	84"	80"	72"
SLK9	Silkweave - 1-1/4" Blackout	84"	84"	84"	84"	80"	72"

CORDLESS TOP-DOWN/BOTTOM-UP BANDLIFT							
CELL SIZE	**SHADE NET WIDTH TO:**	**60"**	**72"**	**84"**	**96"**	**108"**	**120"**
CBC1	Cambrica - 3/4" Light Filtering	84"	84"	84"	n/a	n/a	n/a
CBC3	Cambrica - 3/4" Blackout	84"	84"	84"	n/a	n/a	n/a
CHC1	Crosshatch - 3/4" Light Filtering	84"	84"	84"	n/a	n/a	n/a
CHC3	Crosshatch - 3/4" Blackout	84"	84"	84"	n/a	n/a	n/a
SLK1	Silkweave - 3/4" Light Filtering	84"	84"	84"	n/a	n/a	n/a
SLK3	Silkweave - 3/4" Blackout	84"	84"	84"	n/a	n/a	n/a

CORDLESS DAY/NIGHT SINGLE SHADE							
CELL SIZE	**SHADE NET WIDTH TO:**	**60"**	**72"**	**84"**	**96"**	**108"**	**120"**
ABL1	Abaca Linen - 3/4" Light Filtering	84"	84"	72"	n/a	n/a	n/a
CBC1	Cambrica - 3/4" Light Filtering	84"	84"	72"	n/a	n/a	n/a
CBC3	Cambrica - 3/4" Blackout	84"	84"	72"	n/a	n/a	n/a
CHC1	Crosshatch - 3/4" Light Filtering	84"	84"	72"	n/a	n/a	n/a
CHC3	Crosshatch - 3/4" Blackout	84"	84"	72"	n/a	n/a	n/a
CLC1	Classic - 3/4" Light Filtering	84"	84"	72"	n/a	n/a	n/a
CLC3	Classic - 3/4" Blackout	84"	84"	72"	n/a	n/a	n/a
DPL1	Dappled - 3/4" Light Filtering	84"	84"	72"	n/a	n/a	n/a
LDC1	Designer Colors - 3/4" Light Filtering	84"	84"	72"	n/a	n/a	n/a
LDC3	Designer Colors - 3/4" Blackout	84"	84"	n/a	n/a	n/a	n/a
SHC1	SheerCell™ - 3/4" Sheer	84"	84"	72"	n/a	n/a	n/a
SLK1	Silkweave - 3/4" Light Filtering	84"	84"	72"	n/a	n/a	n/a
SLK3	Silkweave - 3/4" Blackout	84"	84"	72"	n/a	n/a	n/a

CRITICAL DIMENSIONS - INMOTION™ MOTORIZATION

- InMotion™ Motorization utilizes the same headrail and bottomrail as cordless.
- **Due to operating system limitations, ensure to reference the Max Drop Lengths - InMotion™ Motorization charts, as each fabric collection may have addtional width and height limitations. See pages CS-18/19.**

InMotion™ Motorization - CRITICAL DIMENSIONS (INCHES)		
Single Shade		
	Bottom-Up	
	3/4" Single Cell & 1/2" Double Cell	1-1/4" Single Cell
Minimum Width Net (net = after headrail deduction)	18-1/8"	24"
Maximum Width	120"	120"
Minimum Height	12"	12"
Maximum Height	108"	108"

Side Mount not available

InMotion™ Motorization - CRITICAL DIMENSIONS (INCHES)		
2-on-1 Shade		
	Bottom-Up	
	3/4" Single Cell & 1/2" Double Cell	1-1/4" Single Cell
Minimum Width Net (overall) (net = after headrail deduction)	40"	48"
Min Width (per panel)	20"	24"
Maximum Width (overall)	144"	144"
Maximum Width (per panel)	120"	120"
Minimum Height	12"	12"
Maximum Height	108"	108"

Side Mount not available

InMotion™ Motorization - CRITICAL DIMENSIONS (INCHES)	
Day/Night Single Shade	
Top shade must be 3/4" SheerCell™	**3/4" Fabrics only**
Minimum Width Net (net = after headrail deduction)	30-1/8"
Max. Width	120"
Min. Height	18"
Max. Height	108"
Max. Area (sq. ft.)	n/a

Side Mount not available

See restriction chart for shades over 50" wide. See page CS-19.

FINISHED DIMENSIONS

3/4" Single Cell & 1/2" Double Cell Fabrics

Inside (IM) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OM) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"

NOTE: Measurements may vary ± 1/8"

1-1/4" Single Cell Fabrics

Inside (IM) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OM) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"

Adjustments are taken from ordered dimensions
Use a metal tape measure for all measurements
Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Inside (IM) Mounts	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OM) Mount	
Minimum flat vertical surface	1-1/2"
Headrail Dimensions	
Height	1-1/2"
Depth	2"

Inside (IM) Mounts	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Outside (OM) Mount	
Minimum flat vertical surface	1-1/2"
Headrail Dimensions	
Height	1-1/2"
Depth	2-7/8"

NOTE: To accommodate 1-1/4" cellular fabrics the use of a larger rail system and additional mounting depth is required.

MAX DROP LENGTHS – INMOTION™ MOTORIZATION

BOTTOM-UP SINGLE SHADE						
CODE	**SHADE NET WIDTH TO:**	**18" – 72"**	**84"**	**96"**	**108"**	**120"**
3/4" Single Cell Light Filtering						
ABL1	Abaca Linen - 3/4"	108"	108"	108"	80"	72"
CBC1	Cambrica - 3/4"	108"	108"	108"	108"	102"
CLC1	Classic - 3/4"	108"	108"	108"	108"	102"
CHC1	Crosshatch - 3/4"	108"	108"	108"	108"	108"
DPL1	Dappled - 3/4"	108"	108"	108"	108"	102"
LDC1	Designer Colors - 3/4"	108"	108"	108"	108"	108"
SLK1	Silk Weave - 3/4"	108"	108"	108"	108"	108"
3/4" Single Cell Sheer						
SHC1	SheerCell™ - 3/4" Sheer	108"	108"	108"	108"	108"
3/4" Single Cell Blackout						
CBC3	Cambrica - 3/4"	108"	108"	108"	87"	78"
CLC3	Classic - 3/4"	108"	108"	108"	108"	102"
CHC3	Crosshatch - 3/4"	108"	108"	108"	80"	72"
LDC3	Designer Colors - 3/4"	108"	108"	108"	108"	108"
SLK3	Silk Weave - 3/4"	108"	108"	108"	108"	108"
1/2" Double Cell Light Filtering						
CHC2	Crosshatch - 1/2" Double Cell	108"	108"	108"	93"	84"
LDC2	Designer Colors - 1/2" Double Cell	90"	77"	67"	60"	54"
SLK2	Silk Weave - 1/2" Double Cell	108"	108"	108"	87"	78"
1/2" Double Cell Blackout						
LDC4	Designer Colors - 1/2" Double Cell	90"	77"	67"	60"	54"
1-1/4" Light Filtering						
ABL7	Abaca Linen - 1-1/4"	108"	108"	108"	80"	72"
CBC7	Cambrica - 1-1/4"	108"	108"	108"	73"	66"
CHC7	Crosshatch - 1-1/4"	108"	108"	108"	73"	66"
SLK7	Silk Weave - 1-1/4"	108"	108"	108"	73"	66"
1-1/4" Single Cell Blackout						
CBC9	Cambrica - 1-1/4"	108"	108"	108"	67"	60"
CHC9	Crosshatch - 1-1/4"	108"	108"	108"	67"	60"
SLK9	Silk Weave - 1-1/4"	108"	108"	108"	67"	60"

MAX DROP LENGTHS – INMOTION™ MOTORIZATION

DAY/NIGHT SINGLE SHADE (see restriction chart below for shades over 50" wide)						
CODE	**SHADE NET WIDTH TO:**	**18" – 72"**	**84"**	**96"**	**108"**	**120"**
3/4" SIngle Cell Light Filtering						
ABL1	Abaca Linen - 3/4"	108"	108"	108"	80"	72"
CBC1	Cambrica - 3/4"	108"	108"	108"	108"	102"
CLC1	Classic - 3/4"	108"	108"	108"	108"	108"
CHC1	Crosshatch - 3/4"	108"	108"	108"	108"	108"
DPL1	Dappled - 3/4"	108"	108"	108"	108"	108"
LDC1	Designer Colors - 3/4"	108"	108"	108"	108"	108"
SLK1	Silk Weave - 3/4"	108"	108"	108"	108"	108"
3/4" Single Cell Sheer						
SHC1	SheerCell™ - 3/4" Sheer	108"	108"	108"	108"	108"
3/4" Single Cell Blackout						
CBC3	Cambrica - 3/4"	108"	108"	108"	87"	78"
CLC3	Classic - 3/4"	108"	108"	108"	108"	108"
CHC3	Crosshatch - 3/4"	108"	108"	108"	80"	72"
LDC3	Designer Colors - 3/4"	108"	108"	108"	108"	108"
SLK3	Silk Weave - 3/4"	108"	108"	108"	108"	108"

INMOTION™ MOTORIZATION DAY/NIGHT RESTRICTIONS (shades over 50")

For shades over 50" wide, the length must be at least one half the width, plus 6". Example: 100" wide must be at least 56" long.
See chart below.

DAY/NIGHT SINGLE SHADE RESTRICTIONS									
Width to	**50"**	**54"**	**60"**	**66"**	**72"**	**84"**	**96"**	**108"**	**120"**
Height to 31"		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
33"			n/a	n/a	n/a	n/a	n/a	n/a	n/a
36"				n/a	n/a	n/a	n/a	n/a	n/a
39"					n/a	n/a	n/a	n/a	n/a
42"						n/a	n/a	n/a	n/a
48"							n/a	n/a	n/a
54"								n/a	n/a
60"									n/a
66"									
72"									
78"									
84"									
90"									
96"									
102"									
108"									

CRITICAL DIMENSIONS – INMOTION™ WAND

OPTIONS:

- Wand colours available in: Black, Bronze, Gray, Vanilla and, White (must be selected at time of order)
- Wand lengths are available in: 1 ft (12"), 2 ft (24"), 3 ft (36"), 4 ft (48"), 5 ft (60") (must be selected at time of order)
- Can be ordered for right or left side placement
- **Due to operating system limitations, ensure to reference the Max Drop Lengths - InMotion™ Wand charts, as each fabric collection may have addtional width and height limitations. See pages CS-21.**



CERTIFIED BEST FOR KIDS™

CRITICAL DIMENSIONS (INCHES)		
Single Shade		
	3/4" Single Cell & 1/2" Double Cell	1-1/4" Single Cell
Minimum Width Net (net = after headrail deduction)	21"	24"
Maximum Width	120"	120"
Minimum Height	12"	12"
Maximum Height	108"	108"

The minimum inside mount width is 22" or 25" (1-1*4" fabrics) when ordered with hold-down bracket

Side Mount not available

CRITICAL DIMENSIONS (INCHES)		
2-on-1 Headrail		
	3/4 Single Cell & 1/2" Double Cell	1-1/4" Single Cell
Minimum Width Net (overall) (net = after headrail deduction)	48-1/2"	48"
Min Width (per panel)	24-1/4"	24"
Maximum Width - Overall	144"	144"
Maximum Width - Per Panel	120"	120"
Minimum Height	12"	12"
Maximum Height	108"	108"

Side Mount not available

FINISHED DIMENSIONS

3/4" Single Cell & 1/2" Double Cell

Inside (IM) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OM) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"

NOTE: Measurements may vary ± 1/8"

1-1/4" Single Cell Fabrics

Inside (IM) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OM) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"

MOUNTING REQUIREMENTS

Inside (IM) Mounts	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OM) Mount	
Minimum flat vertical surface	1-1/2"
Headrail Dimensions	
Height	1-1/2"
Depth	2"

Inside (IM) Mounts	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Outside (OM) Mount	
Minimum flat vertical surface	1-1/2"
Headrail Dimensions	
Height	1-1/2"
Depth	2-7/8"

NOTE: To accommodate 1-1/4" cellular fabrics the use of a larger rail system and additional mounting depth is required.

Adjustments are taken from ordered dimensions
Use a metal tape measure for all measurements
Measurements may vary ± 1/8"

MAX DROP LENGTHS – INMOTION™ WAND

BOTTOM-UP SINGLE SHADE						
CODE	**SHADE NET WIDTH TO:**	**18" – 72"**	**84"**	**96"**	**108"**	**120"**
3/4" Single Cell Light Filtering						
ABL1	Abaca Linen - 3/4"	108"	108"	108"	80"	72"
CBC1	Cambrica - 3/4"	108"	108"	108"	108"	102"
CLC1	Classic - 3/4"	108"	108"	108"	108"	102"
CHC1	Crosshatch - 3/4"	108"	108"	108"	108"	108"
DPL1	Dappled - 3/4"	108"	108"	108"	108"	102"
LDC1	Designer Colors - 3/4"	108"	108"	108"	108"	108"
SLK1	Silk Weave - 3/4"	108"	108"	108"	108"	108"
3/4" Single Cell Sheer						
SHC1	SheerCell™ - 3/4" Sheer	108"	108"	108"	108"	108"
3/4" Single Cell Blackout						
CBC3	Cambrica - 3/4"	108"	108"	108"	87"	78"
CLC3	Classic - 3/4"	108"	108"	108"	108"	102"
CHC3	Crosshatch - 3/4"	108"	108"	108"	80"	72"
LDC3	Designer Colors - 3/4"	108"	108"	108"	108"	108"
SLK3	Silk Weave - 3/4"	108"	108"	108"	108"	108"
1/2" Double Cell Light Filtering						
CHC2	Crosshatch - 1/2" Double Cell	108"	108"	108"	93"	84"
LDC2	Designer Colors - 1/2" Double Cell	90"	77"	67"	60"	54"
SLK2	Silk Weave - 1/2" Double Cell	108"	108"	108"	87"	78"
1-1/4" SIngle Cell Light Filtering						
ABL7	Abaca Linen - 1-1/4"	108"	108"	108"	80"	72"
CBC7	Cambrica - 1-1/4"	108"	108"	108"	73"	66"
CHC7	Crosshatch - 1-1/4"	108"	108"	108"	73"	66"
SLK7	Silk Weave - 1-1/4"	108"	108"	108"	73"	66"
1-1/4" Single Cell Blackout						
CBC9	Cambrica - 1-1/4"	108"	108"	108"	67"	60"
CHC9	Crosshatch - 1-1/4"	108"	108"	108"	67"	60"
SLK9	Silk Weave - 1-1/4"	108"	108"	108"	67"	60"


CRITICAL DIMENSIONS - PERFECT ARCH

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.


Inside Mount (IM)
Width: Measure exact width(s)
Height: Measure exact height(s)

Outside Mount (OM)
Width: Measure desired width(s)
Height: Measure desired height(s)

- Perfect Arch only
- Fan-fold design
- Must be exact 1/2 circle
- Non-operable
- Template not required



Come standard with arch disc



Width (Diameter)

CRITICAL DIMENSIONS (INCHES)			
	3/4" Single Cell Light Filtering and SheerCell™	3/4" Single Cell Blackout	1/2" Double Cell
Minimum Width Net	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	6"	6"	6"
Max. Height	42"	30"	30"

Not available with 1-1/4", 3/4" Abaca, Classic, or Designer Colors

FINISHED DIMENSIONS

3/4" Single Cell & 1/2" Double Cell


Inside (IM) Mounts	
Rail unit	– 3/16"
Arch height	ordered height
Fabric width	– 3/8"
Outside (OM) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary ± 1/8"
Adjustments are taken from ordered dimensions.


MOUNTING REQUIREMENTS

Inside (IM) Mounts	
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
Outside (OM) Mount	
Minimum flat vertical surface	1"
Headrail Dimensions	
Height	1-1/2"
Depth	2"

HOW TO MEASURE QUICKLY AND ACCURATELY



INSIDE MOUNT



OUTSIDE MOUNT

INSIDE MOUNT (IM) INSTALLATION — For a beautiful framed look

❶ MEASURE WIDTH

Measure to the nearest ⅛ in. between inside surfaces of window frame; at the top, middle, and bottom.

Record the narrowest width of the three.

❷ MEASURE HEIGHT

Measure to the nearest ⅛ in. from inside surface at top of window to top of sill; at the left, middle, and right.

Record the tallest height of the three.

❸ MEASURE DEPTH

Measure exact depth of window casing making note of any obstacles i.e. handles, tracks or cranks that could interfere with the blind or shade function.

Use the shortest depth.

OUTSIDE MOUNT (0M) INSTALLATION — For increased light control and privacy

❶ MEASURE WIDTH

Measure to the nearest ⅛ in. between outermost points where shade is to be placed.

Measurement should overlap each side of window frame by at least 1 ½ in.

❷ MEASURE HEIGHT

Measure to the nearest ⅛ in. from where top of shade will be located to top of sill, or measure to point of shade reach if no sill.

HELPFUL HINTS

- Always use a metal tape measure as cloth may stretch
- Measure your window - not your existing blind or shade
- Measure each window separately even if they appear to be identical
- Check depth to ensure shade will clear any obstacles and can accommodate headrail if flush mount is desired
- If you prefer shade not to touch sill, deduct ¼"
- If there is no sill, measure height to point where shade is to reach

NOTE: Take all measurements to the nearest ⅛ in. **DO NOT** take any deductions. The factory will make the necessary adjustments to help ensure your window covering operates smoothly.

Visit www.LEVOLOR.ca/how-to-measure for more measuring information

HOW TO MEASURE MULTIPLE SHADES ON ONE HEADRAIL

INSIDE MOUNT (IM) INSTALLATION

— For a beautiful framed look

❶ MEASURE WIDTH

Total Shade Width — Measure to the nearest ⅛ in. between inside surfaces of window frame; at the top, middle, and bottom.

Record the narrowest width of the three.

Left Shade Width — Measure the width that you want the left shade to cover.

Order this shade first when placing your order.

Right Shade Width — Measure the width that you want the right shade to cover.

❷ MEASURE HEIGHT

Overall Shade Height — Measure to the nearest ⅛ in. from inside surface at top of window to top of sill; at the left, middle and right.

Record the tallest height of the three.

❸ MEASURE DEPTH

Measure exact depth of window casing making note of any obstacles i.e. handles, tracks or cranks that could interfere with the blind or shade function.

Use the shortest depth.

OUTSIDE MOUNT (0M) INSTALLATION

— For increased light control and privacy

❶ MEASURE WIDTH

Overall Shade Width — Measure to the nearest ⅛ in. between outermost points where shade is to be placed.

Add an additional 3 in. to 6 in. to total width for maximum privacy.

Left Shade Width — Measure the width that you want the left shade to cover.


Order this shade first when placing your order.

Right Shade Width — Measure the width that you want the right shade to cover.


❷ MEASURE HEIGHT

Overall Shade Height — Measure to the nearest ⅛ in. from where top of shade will be located to top of sill, or measure to point of shade reach if no sill.

2-on-1 Headrail




3-on-1 Headrail



2-ON-1 & 3-ON-1 HELPFUL HINTS:


- Order the left shade first when placing order
- Each shade operates separately
- There will be a gap between the fabric on the left and right shades to operate independently
- Fabrics cannot be seamed or overlapped
- Always use a metal tape measure as cloth may stretch
- Take all measurements to the nearest ⅛ inch. DO NOT take any deductions
- The factory will make the necessary adjustments to help ensure your shade operates smoothly
- Panel sizes follow single shade size limits, see critical dimensions page for details

WINDOW AND MEASURING TERMINOLOGY




WINDOW COMPONENTS TERMINOLOGY

- Collectively, the sill and jambs are called the “window casement” or "frame".




INSIDE MOUNT

- Shade fits within window opening.
- Great for windows with beautiful trim.



OUTSIDE MOUNT

- Shade mounts outside window opening.
- Increased light control and privacy.



2-ON-1 OR 3-ON-1 HEADRAIL

- Provides the clean appearance of a single shade with the ability to operate each shade independently.
- Can be mounted inside or outside.

SIDE MOUNT–NOT ILLUSTRATED

- Used primarily when conventional mounting will not work—for example, in an arched window opening.

CLEANING AND CARE

All LEVOLOR Cellular Shades are made of 100% polyester and with multiple cleaning options, these easy to care for shades will maintain their beautiful appearance for years to come.

Note: Improper cleaning may void warranty



DUSTING

Use a feather duster for regular cleaning.



VACUUMING

Use a low suction vacuum with a brush-type cleaner attachment; stroke lightly over the shade to clean.



FORCED AIR

Blow away dirt and debris using clean compressed air.



SPOT-CLEANING/STAIN REMOVAL AT HOME

Use warm water and a mild soap, like Woolite® or Scotchgard®, if needed.



PROFESSIONAL INJECTION/ EXTRACTION CLEANING

Call local on-site blind/shade cleaner that injects a cleaning solution into the fabric and extracts the dirty solution at the same time. The service is typically performed at home so you do not need to remove your window treatments.

The following information, listed below, is available online at LEVOLOR.ca

- Terms and Conditions
- Freight
- Warning and Safety Information
- Order Processing
- Claims and Returns
- Warranty

TERMS AND CONDITIONS

Order Processing

Telephone Orders
The dealer is responsible for the content and accuracy of verbal (oral) orders. Each order will be repeated back by the Customer Service Representative. In certain instances, we may require written orders.

Duplicated Orders
All orders are confirmed after entry into our system. Customer Service is not responsible for duplicate orders caused by a written order following a telephone order or duplicate faxes.

Changes and Cancellations
All products are custom made to your specifications under tight deadlines. Once production has begun on your order, changes and cancellations cannot be made.

Freight

- Chargeable parts and returns for repair are subject to freight charges.

Claims and Returns

Defective Merchandise
All manufacturing defects must be reported to Customer Service within 30 days of receipt of shades. We may require the return of the shade(s) at issue prior to repair or replacement.

Incorrect Merchandise
If any part of your shipment was made incorrectly, Customer Service must be notified within 30 days. A replacement will be made at no charge, if the problem was due to LEVOLOR error. If the problem was due to dealer or customer error, the original order and replacement order will be full charge.

Returns for Repair
Prior to return for repair, contact Customer Service. We will request the order number, date, purchase order number, and type of product. Arrangements for return will be made at that time with directions as to how the shades should be returned. The package should be marked for easy identification both inside and outside, and should contain a written confirmation of the verbal repair instructions. Repairs should be packaged carefully. Product that has been mishandled or received in poor condition will be returned to the customer.

Dealer chargebacks for unauthorized repairs or additional installation cannot be honored. All returns for repair are subject to freight charges, which are the responsibility of the dealer or the customer, as the case may be.

Returns for Credit
Returns can be accepted only if prior authorization has been obtained from Customer Service. Authorization will include instructions as to how the merchandise should be returned. Unauthorized returns will be refused.

Freight Damage:
- If damage occurred during shipping, contact Customer Service and report within 14 calendar days of delivery or you may be denied credit for your damaged product.

Freight Damage Common Carrier:
- If freight damage is visible, refuse the shipment. The carrier will return the merchandise to the shipping location for inspection. Contact Customer Service for further information.
- If freight damage is concealed, retain all packaging materials and contact Customer Service immediately (must be notified within 14 days).

Warranty

Improper cleaning may void warranty.

For complete warranty information visit Levolor.ca or call customer service at 1-800-850-4555.