LEVOLOR®



Custom Roller Shades

Pricing and Technical Guide

June 2025
(rev. 10.01.25)

more info visit **LEVOLOR.ca**

TABLE OF CONTENTS

Product Characteristics and Information RS-2
Collection Information RS-3-RS-4
Colour Chart RS-5-RS-7
Solar Information RS-8-RS-10
Operating System RS-11
InMotion™ Motorization RS-12
InMotion™ Motorization Solar Panel Overview RS-13
Top Treatment/Valance Options RS-14
Features/Options RS-15
No Dril Headrail - EasyMount™ RS-16
Additional Information RS-17
Critical Dimensions RS-18-RS-19
Shade Specifications RS-20-RS-28
Window And Measuring Terminology RS-29
How To Measure Quickly And Accurately RS-30
How To Measure Multiple Shades On One Headrail RS-31
Warranty RS-32
Pricing Grids

The following information is available online at LEVOLOR.ca

- Terms and Conditions
- Freight
- Warning and Safety Information
- Claims and Returns
- Warranty

PRODUCT CHARACTERISTICS & INFORMATION

Shade Characteristics

- Inside mount shades will have light leaks at the top and around the outer edges of the shade. This is especially noticeable with blackout and room darkening materials.
- Material edges may curl inward (hourglass). This is especially noticeable on long narrow shades and shades made with railroaded fabrics.
- Minor telescoping may occur if shade is not installed exactly level.

Fabric Disclaimers

- Fabric appearance can vary based on changing light conditions in a room and colour reflection of the interior décor.
- During transit, there may be creases in the fabric due to the time the shade rolled up in the packaging material. To remove creases, unroll the shade completely and let it hang for several days. Most wrinkles creases will resolve after several days.
- Screen material is designed to have a clear view-through when viewing directly or from a slight angle. Depending on the pattern, waviness and distortion is characteristic when viewing from an angle of approximately 30% or more.
- Please be aware that installing screen shades on windows that already feature screens may cause a moiré effect.
- Due to the nature of the weaving process, some imperfections in the weave are normal.

Pattern Alignment

- No guarantee on fabric pattern alignment for side by side shades.
- It is not possible to vertically align the shade pattern and the top treatment pattern.
- Fabric with repeat patterns are not centered on the shade.

Straighten Shade

If your shade does not roll straight, the material veers right or left, correct as follow:

Lower the shade completely to expose the roller tube. Wrap a 1-1/2" long masking tape onto the shorter side of the tube; opposite of where the material is veering. The tape acts as a straightener by increasing the diameter of the tube slightly. Test by raising and lowering the shade.

If the shade still do not roll straight, add a second layer of tape and repeat the process.
Continue to add tape as needed until the shade rolls straight.

Cleaning and Care Information

- Dust shade using a dusting cloth, feather duster, or vacuum with an upholstery attachment.
- Do not immerse the shade in the water. Shade may be gently clean with a damp cloth. After cleaning, keep the shade lowered to allow the shade to dry completely before raising the shade.
- Loose fibers may appear on material edges from time to time. This is normal and does not affect the overall integrity of the shade. Simply trim off the loose fibers with a pair of sharp scissors.

COLLECTION INFORMATION

Fabric Code	Fabric Collection	Price Group	Composition	Opacity	GREENGUARD		Max Fabric Width	Railroaded* Y or N	Bottom Rail Omni Curved or Heat Sealed	Available in Panel Track
LS013	1% Catalina	F	100% TPO - thermoplastic	1%	Y	Y	118"	N	Omni Only	Y
LS010	1% Newport	D	25% Fiberglass, 75% PVC	1%	Y	N	98"	Y	Both	Y
LS049	1% Solapur	B	70% PVC, 30% Polyester	1%	Y	N	118"	Y	Both	Y
LS008	3% Acadia	E	18% Polyester, 25% Recycle Polyester, 57% PVC	3%	Y	N	118"	N	Both	Y
LS014	3% Catalina	F	100% TPO - thermoplastic	3%	Y	Y	118"	Y	Omni Only	Y
LS006	3% Malibu	C	30% Polyester, 70%PVC	3%	Y	N	118"	Y	Both	Y
LS011	3% Newport	D	25% Fiberglass, 75% PVC	3%	Y	N	98"	Y	Both	Y
LS048	3% Solapur	B	70% PVC, 30% Polyester	3%	Y	N	118"	N	Both	Y
LS009	5% Acadia	E	18% Polyester, 25% Recycle Polyester, 57% PVC	5%	Y	N	118"	N	Both	Y
LS015	5% Catalina	F	18% Polyester, 25% Recycle Polyester, 57% PVC	5%	Y	Y	118"	Y	Omni Only	Y
LS005	5% Key West	C	30% Polyester, 70%PVC	5%	Y	N	118"	Y	Both	Y
LS012	5% Newport	D	25% Fiberglass, 75% PVC	5%	Y	N	98"	Y	Both	Y
LS047	5% Solapur	B	70% PVC, 30% Polyester	5%	Y	N	118"	Y	Both	Y
LS007	5% Sonoma	C	30% Polyester, 70%PVC	5%	Y	N	118"	Y	Both	Y
LS046	10% Solapur	A	70% PVC, 30% Polyester	10%	Y	N	118"	N	Both	Y
LF038	Aberdeen LF	C	100% Polyester	LF	Y	Y	110"	N	Both	Y
LF049	Aspen LF	C	100% Polyester	LF	Y	Y	110"	N	Both	Y
LB049	Aspen BO	D	100% Polyester	BO	Y	Y	110"	N	Both	Y
LF019	Bellamy LF	C	100% Polyester	LF	N	Y	110"	N	Both	Y
LB019	Bellamy BO	D	100% Polyester with Acrylic Coating	BO	N	Y	110"	N	Both	Y
LF054	Belmont LF	D	90% Polyester, 10% Cationic Polyester	LF	Y	Y	118"	N	Both	Y
LB054	Belmont BO	E	90% Polyester, 10% Cationic Polyester	BO	Y	Y	118"	N	Both	Y
LF052	Boulevard LF	E	100% Polyester	LF	Y	Y	110"	N	Both	Y
LB052	Boulevard BO	F	100% Polyester	BO	Y	Y	110"	N	Both	Y
LF033	Brighton LF	E	100% Polyester	LF	N	Y	110"	N	Both	Y
LF046	Chelsea LF	D	100% Polyester	LF	Y	N	118"	N	Both	Y
LB046	Chelsea BO	E	100% Polyester	BO	Y	N	118"	N	Both	Y
LF030	Everest LF	F	100% Polyester	LF	N	Y	118"	Y	Both	Y
LB030	Everest BO	G	100% Polyester	BO	N	Y	118"	Y	Both	Y
LF055	Finnley LF	A	100% Polyester	LF	N	N	118"	N	Both	Y
LB055	Finnley BO	B	100% Polyester	BO	N	N	110"	N	Both	Y
LF050	Kashia LF	F	100% Polyester with Acrylic Coating	LF	N	Y	94"	N	Both	Y
LB036	Lavish BO	G	100% Polyester	BO	N	Y	110"	N	Both	Y
LF018	Madison LF	B	100% Polyester	LF	N	Y	110"	Y	Both	Y
LB018	Madison BO	C	100% Polyester with Acrylic Coating	BO	N	Y	110"	Y	Both	Y

*Railroaded fabric will be seamed (horizontally) when the length exceeds the fabric width. Seam will be visible. See page RS-17 for further details.

COLLECTION INFORMATION

Fabric Code	Fabric Collection	Price Group	Composition	Opacity	GREENGUARD		Max Fabric Width	Railroaded* Y or N	Bottom Rail Omni Curved or Heat Sealed	Available in Panel Track
LB057	Midtown BO	G	100% Polyester	BO	Y	Y	110"	Y	Both	Y
LF051	Monte Vista LF	E	100% Polyester	LF	N	Y	94"	N	Both	Y
LB051	Monte Vista BO	F	100% Polyester with Acrylic Coating	BO	N	Y	94"	N	Both	Y
LF056	Oxford LF	C	100% Polyester	LF	N	N	94"	N	Both	Y
LB056	Oxford BO	D	100% Polyester	BO	N	N	94"	N	Both	Y
LF039	Ravello LF	E	100% Polyester	LF	Y	Y	110"	Y	Both	Y
LB004	Serenity BO	G	100% Polyester	BO	N	Y	78"	N	Both	Y
LF048	Toulouse LF	D	100% Polyester with Acrylic Coating	LF	N	Y	110"	N	Both	Y
LB048	Toulouse BO	E	100% Polyester with Acrylic Coating	BO	N	Y	110"	N	Both	N
LF053	Valentina LF	C	100% Polyester	LF	N	Y	122"	Y	Both	Y
LB053	Valentina BO	D	100% Polyester	BO	N	Y	120"	Y	Both	Y
LF040	Valhalla LF	F	93.3% Polyester, 6.7% Linen	LF	Y	Y	110"	N	Both	N
LB058	Vitality BO	A	73% PVC, 27% Woven Fiberglass	BO	Y	N	72"	Y	Both	Y
LF035	Waverly LF	C	100% Polyester	LF	N	Y	118"	N	Both	Y
LB035	Waverly BO	D	100% Polyester	BO	N	Y	118"	N	Both	Y
LF020	Westport LF	F	50% PES/50% ReOcPlastic	LF	Y	N	118"	N	Both	Y
LB020	Westport BO	G	50% PES/50% ReOcPlastic	BO	Y	N	114"	N	Both	Y

*Railroaded fabric will be seamed (horizontally) when the length exceeds the fabric width. Seam will be visible. See page RS-17 for further details.

Greenguard Certification
- Ensures LEVOLOR products contribute to healthy air quality in consumers homes

Eco Friendly Fabrics
- Fabrics made of recycled materials

COLOUR CHART

Fabric Collection	Fabric Colour	Fabric Code	Colour Code	Hardware Colour*
1% Catalina LF	Bone	LS013	02	Vanilla
1% Catalina LF	Bronze	LS013	04	Bronze
1% Catalina LF	Carbon	LS013	06	Black
1% Catalina LF	Nickel	LS013	03	Gray/Silver
1% Catalina LF	Onyx	LS013	05	Black
1% Catalina LF	Powder	LS013	01	White
1% Newport LF	Bone	LS010	02	Vanilla
1% Newport LF	Bronze	LS010	04	Bronze
1% Newport LF	Carbon	LS010	06	Black
1% Newport LF	Nickel	LS010	03	Gray/Silver
1% Newport LF	Onyx	LS010	05	Black
1% Newport LF	Powder	LS010	01	White
1% Solapur LF	Bone	LS049	05	Vanilla
1% Solapur LF	Bronze	LS049	04	Bronze
1% Solapur LF	Nickel	LS049	06	Gray/Silver
1% Solapur LF	Onyx	LS049	03	Black
1% Solapur LF	Powder	LS049	01	White
3% Acadia LF	Bone	LS008	02	Vanilla
3% Acadia LF	Carbon	LS008	05	Black
3% Acadia LF	Nickel	LS008	03	Gray/Silver
3% Acadia LF	Onyx	LS008	04	Black
3% Acadia LF	Powder	LS008	01	White
3% Catalina LF	Bone	LS014	02	Vanilla
3% Catalina LF	Bronze	LS014	04	Bronze
3% Catalina LF	Carbon	LS014	06	Black
3% Catalina LF	Nickel	LS014	03	Gray/Silver
3% Catalina LF	Onyx	LS014	05	Black
3% Catalina LF	Powder	LS014	01	White
3% Malibu LF	Beechwood	LS006	02	Gray/Silver
3% Malibu LF	Cappuccino	LS006	03	Vanilla
3% Malibu LF	Cinnamon	LS006	01	Bronze
3% Malibu LF	Honeywheat	LS006	04	White
3% Newport LF	Bone	LS011	02	Vanilla
3% Newport LF	Bronze	LS011	04	Bronze
3% Newport LF	Carbon	LS011	06	Black
3% Newport LF	Nickel	LS011	03	Gray/Silver
3% Newport LF	Onyx	LS011	05	Black
3% Newport LF	Powder	LS011	01	White
3% Solapur LF	Bone	LS048	05	Vanilla
3% Solapur LF	Bronze	LS048	04	Bronze
3% Solapur LF	Nickel	LS048	06	Gray/Silver
3% Solapur LF	Onyx	LS048	03	Black
3% Solapur LF	Powder	LS048	01	White
5% Acadia LF	Bone	LS009	02	Vanilla
5% Acadia LF	Carbon	LS009	05	Black
5% Acadia LF	Nickel	LS009	03	Gray/Silver
5% Acadia LF	Onyx	LS009	04	Black
5% Acadia LF	Powder	LS009	01	White

Fabric Collection	Fabric Colour	Fabric Code	Colour Code	Hardware Colour*
5% Catalina LF	Bone	LS015	02	Vanilla
5% Catalina LF	Bronze	LS015	04	Bronze
5% Catalina LF	Carbon	LS015	06	Black
5% Catalina LF	Nickel	LS015	03	Gray/Silver
5% Catalina LF	Onyx	LS015	05	Black
5% Catalina LF	Powder	LS015	01	White
5% Key West LF	Barley	LS005	06	Vanilla
5% Key West LF	Burlap	LS005	05	Gray/Silver
5% Key West LF	Cocoa	LS005	01	Bronze
5% Key West LF	Doe	LS005	02	Gray/Silver
5% Key West LF	Iron Ore	LS005	07	Black
5% Key West LF	Mink	LS005	03	Gray/Silver
5% Key West LF	Oatmeal	LS005	04	White
5% Newport LF	Bone	LS012	02	Vanilla
5% Newport LF	Bronze	LS012	04	Bronze
5% Newport LF	Carbon	LS012	06	Black
5% Newport LF	Nickel	LS012	03	Gray/Silver
5% Newport LF	Onyx	LS012	05	Black
5% Newport LF	Powder	LS012	01	White
5% Solapur LF	Bone	LS047	05	Vanilla
5% Solapur LF	Bronze	LS047	04	Bronze
5% Solapur LF	Nickel	LS047	06	Gray/Silver
5% Solapur LF	Onyx	LS047	03	Black
5% Solapur LF	Powder	LS047	01	White
5% Sonoma LF	Blush	LS007	05	White
5% Sonoma LF	Biscuit	LS007	03	Gray/Silver
5% Sonoma LF	Java	LS007	07	Black
5% Sonoma LF	Merlot	LS007	09	Black
5% Sonoma LF	Moss	LS007	01	Gray/Silver
5% Sonoma LF	Ocean	LS007	02	Gray/Silver
5% Sonoma LF	Pebble	LS007	08	Gray/Silver
5% Sonoma LF	Rosemary	LS007	06	Gray/Silver
5% Sonoma LF	Sea Glass	LS007	04	Gray/Silver
5% Sonoma LF	Toast	LS007	10	Vanilla
10% Solapur LF	Bone	LS046	05	Vanilla
10% Solapur LF	Bronze	LS046	04	Bronze
10% Solapur LF	Nickel	LS046	06	Gray/Silver
10% Solapur LF	Onyx	LS046	03	Black
10% Solapur LF	Powder	LS046	01	White
Aberdeen LF	Bone	LF038	02	White
Aberdeen LF	Onyx	LF038	04	Black
Aberdeen LF	Pearl	LF038	01	White
Aberdeen LF	Shell	LF038	03	Gray/Silver
Aspen LF	Champagne	LF049	02	Vanilla
Aspen LF	Heathered	LF049	01	Gray/Silver
Aspen LF	Laurel	LF049	03	White
Aspen LF	Winter White	LF049	04	White
Aspen BO	Champagne	LB049	02	Vanilla


COLOUR CHART

Fabric Collection	Fabric Colour	Fabric Code	Colour Code	Hardware Colour*
Aspen BO	Heathered	LB049	01	Gray/Silver
Aspen BO	Laurel	LB049	03	White
Aspen BO	Winter White	LB049	04	White
Bellamy LF	Barley	LF019	01	Vanilla
Bellamy LF	Blue Steel	LF019	03	Gray/Silver
Bellamy LF	Carbonite	LF019	02	Black
Bellamy LF	Green Tea	LF019	04	Gray/Silver
Bellamy BO	Barley	LB019	01	Vanilla
Bellamy BO	Blue Steel	LB019	03	Gray/Silver
Bellamy BO	Carbonite	LB019	02	Black
Bellamy BO	Green Tea	LB019	04	Gray/Silver
Belmont LF	Champagne	LF054	11	Ivory
Belmont LF	Dove	LF054	12	Black
Belmont LF	Whisper	LF054	10	White
Belmont BO	Champagne	LB054	11	Ivory
Belmont BO	Dove	LB054	12	Black
Belmont BO	Whisper	LB054	10	White
Boulevard LF	Alabaster	LF052	01	Vanilla
Boulevard LF	Coconut	LF052	05	White
Boulevard LF	Drift Wood	LF052	02	Gray/Silver
Boulevard LF	Iron Ore	LF052	06	Black
Boulevard BO	Alabaster	LB052	01	Vanilla
Boulevard BO	Coconut	LB052	05	White
Boulevard BO	Drift Wood	LB052	02	Gray/Silver
Boulevard BO	Iron Ore	LB052	06	Black
Brighton LF	Brushed Silver	LF033	04	Vanilla
Brighton LF	Shaved Coconut	LF033	01	Gray/Silver
Brighton LF	Toasted Almond	LF033	02	Gray/Silver
Brighton LF	Weathered Bronze	LF033	03	White
Chelsea LF	Pearl Dust	LF046	01	White
Chelsea LF	Sandy Beige	LF046	02	Gray/Silver
Chelsea LF	Slate Gray	LF046	03	Black
Chelsea BO	Pearl Dust	LB046	01	White
Chelsea BO	Sandy Beige	LB046	02	Gray/Silver
Chelsea BO	Slate Gray	LB046	03	Black
Everest LF	Buff	LF030	01	White
Everest LF	Fawn	LF030	02	Bronze
Everest LF	French Grey	LF030	03	Gray/Silver
Everest LF	Ironstone	LF030	04	Gray/Silver
Everest BO	Buff	LB030	01	White
Everest BO	Fawn	LB030	02	Bronze
Everest BO	French Grey	LB030	03	Gray/Silver
Everest BO	Ironstone	LB030	04	Gray/Silver
Finnley LF	Light Gray	LF055	002	Gray/Silver
Finnley LF	Sand	LF055	003	Vanilla
Finnley LF	Whisper	LF055	000	White
Finnley BO	Light Gray	LB055	001	Gray/Silver
Finnley BO	Sand	LB055	003	Vanilla
Finnley BO	Whisper	LB055	000	White
Kashia LF	Arabica Roast	LF050	201	Bronze
Kashia LF	Lentil Bean	LF050	202	Vanilla
Lavish BO	Bronzed Gold	LB036	03	Gray/Silver
Lavish BO	Bubbly	LB036	01	White
Lavish BO	Sterling	LB036	02	Gray/Silver
Madison LF	Biscuit	LF018	02	Vanilla
Madison LF	Denim	LF018	04	Gray/Silver
Madison LF	Nutmeg	LF018	03	Bronze
Madison LF	Sea Oats	LF018	01	Gray/Silver
Madison BO	Biscuit	LB018	02	Vanilla
Madison BO	Denim	LB018	04	Gray/Silver
Madison BO	Nutmeg	LB018	03	Bronze
Madison BO	Sea Oats	LB018	01	Gray/Silver
Midtown BO	Ivory	LB057	01	White
Midtown BO	Oatmeal	LB057	04	Gray/Silver
Monte Vista LF	Desert Horizon	LF051	107	Bronze
Monte Vista LF	Driftwood	LF051	100	Gray/Silver
Monte Vista LF	Prairie Sky	LF051	106	Bronze
Monte Vista LF	Stormy Night	LF051	101	Gray/Silver
Monte Vista BO	Desert Horizon	LB051	03	Bronze
Monte Vista BO	Driftwood	LB051	01	Gray/Silver
Monte Vista BO	Prairie Sky	LB051	04	Bronze
Monte Vista BO	Stormy Night	LB051	02	Gray/Silver
Oxford LF	Candlelight	LF056	02	White
Oxford LF	Charcoal	LF056	05	Black
Oxford LF	Mushroom	LF056	03	Vanilla
Oxford LF	Powder	LF056	01	White
Oxford LF	Storm Cloud	LF056	04	Gray/Silver
Oxford LF	Taupe	LF056	06	Gray/Silver
Oxford BO	Candlelight	LB056	02	White
Oxford BO	Charcoal	LB056	05	Black
Oxford BO	Mushroom	LB056	03	Vanilla
Oxford BO	Powder	LB056	01	White
Oxford BO	Storm Cloud	LB056	04	Gray/Silver
Ravello LF	Candlelight	LF039	02	White
Ravello LF	Silver Mist	LF039	03	Gray/Silver
Ravello LF	Whisper	LF039	01	White
Serenity BO	Brownstone	LB004	03	Black
Serenity BO	Cremini	LB004	02	Gray/Silver
Serenity BO	Pashmina	LB004	01	Gray/Silver
Toulouse LF	Blush	LF048	02	Bronze
Toulouse LF	Charcoal	LF048	05	Gray/Silver
Toulouse LF	Daylight	LF048	07	White
Toulouse LF	Dove	LF048	03	Gray/Silver
Toulouse LF	Iron	LF048	06	Black

COLOUR CHART

Fabric Collection	Fabric Colour	Fabric Code	Colour Code	Hardware Colour*
Toulouse LF	Nickel	LF048	08	Gray/Silver
Toulouse LF	Snowfall	LF048	01	White
Toulouse BO	Blush	LB048	02	Bronze
Toulouse BO	Charcoal	LB048	05	Gray/Silver
Toulouse BO	Daylight	LB048	07	White
Toulouse BO	Dove	LB048	03	Gray/Silver
Toulouse BO	Iron	LB048	06	Black
Toulouse BO	Nickel	LB048	08	Gray/Silver
Toulouse BO	Snowfall	LB048	01	White
Valentina LF	Cotton	LF053	01	White
Valentina LF	Deep Sea	LF053	09	Gray/Silver
Valentina LF	Gray Sky	LF053	03	Gray/Silver
Valentina LF	Khaki	LF053	18	Vanilla
Valentina LF	Mink	LF053	04	Bronze
Valentina LF	Mist	LF053	11	Gray/Silver
Valentina LF	Nickel	LF053	13	Gray/Silver
Valentina LF	Oyster	LF053	02	White
Valentina LF	Skyline	LF053	14	Black
Valentina LF	Soft Gray	LF053	17	White
Valentina LF	Stone	LF053	05	Gray/Silver
Valentina LF	Taupe	LF053	12	Gray/Silver
Valentina LF	Toast	LF053	08	Gray/Silver
Valentina LF	Vintage Denim	LF053	16	Gray/Silver
Valentina BO	Cotton	LB053	01	White
Valentina BO	Gray Sky	LB053	10	White
Valentina BO	Khaki	LB053	12	Vanilla
Valentina BO	Mink	LB053	04	Gray/Silver
Valentina BO	Mist	LB053	09	Gray/Silver
Valentina BO	Nickel	LB053	07	Gray/Silver
Valentina BO	Oyster	LB053	02	White
Valentina BO	Skyline	LB053	06	Gray/Silver
Valentina BO	Soft Gray	LB053	11	White
Valentina BO	Stone	LB053	08	Gray/Silver
Valentina BO	Taupe	LB053	05	Bronze
Valentina BO	Toast	LB053	03	Vanilla
Valhalla LF	Oats	LF040	01	White
Valhalla LF	Rye	LF040	03	Gray/Silver
Valhalla LF	Wheat	LF040	02	Vanilla
Vitality BO	Cream	LB058	11	White
Vitality BO	Warm White	LB058	05	White
Vitality BO	White	LB058	01	White
Waverly LF	Bone	LF035	01	White
Waverly LF	Dove	LF035	03	Bronze
Waverly LF	Linen	LF035	02	Vanilla
Waverly LF	Smoke	LF035	04	Black
Waverly BO	Bone	LB035	01	White
Waverly BO	Dove	LB035	03	Bronze
Waverly BO	Linen	LB035	02	Vanilla
Waverly BO	Smoke	LB035	04	Black
Westport LF	Amethyst	LF020	04	Gray/Silver
Westport LF	Cotton	LF020	01	White
Westport LF	Key Lime	LF020	05	Gray/Silver
Westport LF	Pepper	LF020	06	Black
Westport LF	Silverdrop	LF020	03	Vanilla
Westport LF	Silverleaf	LF020	02	Gray/Silver
Westport LF	Silverleaf	LF020	2	Gray/Silver
Westport LF	Silverleaf	LF020	2	Gray/Silver
Westport BO	Cotton	LB020	01	White
Westport BO	Pepper	LB020	06	Black
Westport BO	Silverdrop	LB020	03	Vanilla
Westport BO	Silverleaf	LB020	02	Gray/Silver

* Cassette, cordless rail, end caps, bottom rail, bracket covers, wand - if applicable. Cannot be overridden



White | Vanilla | Gray/Silver | Bronze | Black

NOTES: The actual colour of the hardware may vary from the colour swatches above.

SOLAR OPTICAL CHART

Collection Code	Collection Name	Color Code	Color Name	Openness Factor*	Transmission*	Reflection*	Absorption*	UV Rating*
LS013	1% Catalina	01	Powder	1%	20	65	15	99%
LS013	1% Catalina	02	Bone	1%	18	55	27	99%
LS013	1% Catalina	03	Nickel	1%	14	50	36	99%
LS013	1% Catalina	04	Bronze	1%	1	4	95	99%
LS013	1% Catalina	05	Onyx	1%	1	3	96	99%
LS013	1% Catalina	06	Carbon	1%	4	14	82	99%
LS010	1% Newport	01	Powder	1%	10	65	25	99%
LS010	1% Newport	02	Bone	1%	15	58	27	99%
LS010	1% Newport	03	Nickel	1%	10	48	42	99%
LS010	1% Newport	04	Bronze	1%	1	5	94	99%
LS010	1% Newport	05	Onyx	1%	1	4	95	99%
LS010	1% Newport	06	Carbon	1%	4	10	86	99%
LS049	1% Solapur	01	Powder	1%	26	66	8	99%
LS049	1% Solapur	03	Onyx	1%	0	3	96	99%
LS049	1% Solapur	04	Bronze	1%	0	5	95	99%
LS049	1% Solapur	05	Bone	1%	12	73	15	99%
LS049	1% Solapur	06	Nickel	1%	5	58	37	99%
LS008	3% Acadia	01	Powder	3%	25	65	10	97%
LS008	3% Acadia	02	Bone	3%	25	53	22	97%
LS008	3% Acadia	03	Nickel	3%	16	40	44	97%
LS008	3% Acadia	04	Onyx	3%	5	6	89	97%
LS008	3% Acadia	05	Carbon	3%	7	21	72	97%
LS014	3% Catalina	01	Powder	3%	23	64	13	97%
LS014	3% Catalina	02	Bone	3%	17	51	32	97%
LS014	3% Catalina	03	Nickel	3%	15	44	41	97%
LS014	3% Catalina	04	Bronze	3%	4	5	91	97%
LS014	3% Catalina	05	Onyx	3%	4	5	91	97%
LS014	3% Catalina	06	Carbon	3%	4	13	83	97%
LS006	3% Malibu	01	Cinnamon	3%	6	22	72	97%
LS006	3% Malibu	02	Beechwood	3%	7	37	56	97%
LS006	3% Malibu	03	Cappuccino	3%	9	35	55	97%
LS006	3% Malibu	04	Honeywheat	3%	9	44	47	97%
LS011	3% Newport	01	Powder	3%	11	65	24	97%
LS011	3% Newport	02	Bone	3%	16	57	27	97%
LS011	3% Newport	03	Nickel	3%	12	47	41	97%
LS011	3% Newport	04	Bronze	3%	4	4	92	97%
LS011	3% Newport	05	Onyx	3%	4	3	93	97%
LS011	3% Newport	06	Carbon	3%	6	9	85	97%
LS027	3% Providence	02	Amore Pink	3%	NA	NA	NA	97%
LS048	3% Solapur	01	Powder	3%	30	63	8	95%
LS048	3% Solapur	03	Onyx	3%	3	3	93	97%
LS048	3% Solapur	04	Bronze	3%	3	6	91	97%
LS048	3% Solapur	05	Bone	3%	15	70	15	97%
LS048	3% Solapur	06	Nickel	3%	8	51	40	97%
LS009	5% Acadia	01	Powder	5%	25	62	13	95%
LS009	5% Acadia	02	Bone	5%	24	52	24	95%
LS009	5% Acadia	03	Nickel	5%	16	38	46	95%
LS009	5% Acadia	04	Onyx	5%	6	5	89	95%

*See *SOLAR OPTICAL INFORMATION* section for detail.

SOLAR OPTICAL CHART

Collection Code	Collection Name	Color Code	Color Name	Openness Factor*	Transmission*	Reflection*	Absorption*	UV Rating*
LS009	5% Acadia	05	Carbon	5%	7	16	77	95%
LS015	5% Catalina	01	Powder	5%	25	62	13	95%
LS015	5% Catalina	02	Bone	5%	23	51	26	95%
LS015	5% Catalina	03	Nickel	5%	18	44	38	95%
LS015	5% Catalina	04	Bronze	5%	4	5	91	95%
LS015	5% Catalina	05	Onyx	5%	5	5	90	95%
LS015	5% Catalina	06	Carbon	5%	6	12	82	95%
LS005	5% Key West	01	Cocoa	5%	6	12	82	95%
LS005	5% Key West	02	Doe	5%	12	37	51	95%
LS005	5% Key West	03	Mink	5%	9	24	68	95%
LS005	5% Key West	04	Oatmeal	5%	19	65	16	95%
LS005	5% Key West	05	Burlap	5%	16	45	39	95%
LS005	5% Key West	06	Barley	5%	19	56	24	95%
LS005	5% Key West	07	Iron Ore	5%	5	11	84	95%
LS012	5% Newport	01	Powder	5%	15	63	22	95%
LS012	5% Newport	02	Bone	5%	18	56	26	95%
LS012	5% Newport	03	Nickel	5%	14	46	40	95%
LS012	5% Newport	04	Bronze	5%	6	4	90	95%
LS012	5% Newport	05	Onyx	5%	6	4	90	95%
LS012	5% Newport	06	Carbon	5%	8	9	83	95%
LS047	5% Solapur	01	Powder	5%	32	61	8	95%
LS047	5% Solapur	03	Onyx	5%	6	3	91	95%
LS047	5% Solapur	04	Bronze	5%	7	6	87	95%
LS047	5% Solapur	05	Bone	5%	18	66	15	95%
LS047	5% Solapur	06	Nickel	5%	11	45	44	95%
LS007	5% Sonoma	01	Moss	5%	NA	NA	NA	95%
LS007	5% Sonoma	02	Ocean	5%	NA	NA	NA	95%
LS007	5% Sonoma	03	Biscuit	5%	NA	NA	NA	95%
LS007	5% Sonoma	04	Sea Glass	5%	NA	NA	NA	95%
LS007	5% Sonoma	05	Blush	5%	NA	NA	NA	95%
LS007	5% Sonoma	06	Rosemary	5%	10	31	59	95%
LS007	5% Sonoma	07	Java	5%	8	15	77	95%
LS007	5% Sonoma	08	Pebble	5%	9	33	58	95%
LS007	5% Sonoma	09	Merlot	5%	NA	NA	NA	95%
LS007	5% Sonoma	10	Toast	5%	12	42	46	95%
LS046	10% Solapur	01	Powder	10%	34	59	7	90%
LS046	10% Solapur	03	Onyx	10%	12	3	85	90%
LS046	10% Solapur	04	Bronze	10%	12	6	82	90%
LS046	10% Solapur	05	Bone	10%	22	66	12	90%
LS046	10% Solapur	06	Nickel	10%	NA	NA	NA	90%

*See *SOLAR OPTICAL INFORMATION* section for detail.

SOLAR OPTICAL INFORMATION

The following pages contain solar optical information by pattern and color, it is important to understand the numbers and how they work best to your need.

OPENNESS FACTOR (OF):

OF is a property that is often used to describe a screen material. The definition of OF is the percentage of the screen's surface area that is “open". The OF only describes one of the factors that regulates the amount of light passing through a roller shade.

The OF and color coating together will decide how open the (shade) material will become. Different material colors absorb light differently. For example, a dark colored car is hotter than a light colored car.


Sunlight that hits the shade surface is divided into three parts that together make 100 % of the incoming light. The picture below illustrates the phenomenon.

TRANSMISSION: One part of the light will pass through the shade, and that is the part of the light that comes into the room. *The lower the number, the better.*

The transmission value tells how much light passes through the fabric. The transmission is dependent on three factors;
- the openness factor of the fabric
- the color of the fabric
- the coating on the fabric.

REFLECTION: One part of the light will be reflected when it hits the shade. *The higher the number, the better.*

ABSORPTION: The rest of the light will be absorbed by the shade. *The lower the number, the better.*



UV PROTECTION (and Blackout Fabrics): The total solar incident radiation of wavelengths between 280 nm and 2500 nm is measured and optical values are reported. UV-light is included in these wavelengths. For those of our fabrics that are Blackout the transmission of light is 0 %. This signifies 100 % blocking of all sunlight, including UV-light. The UV-protection is 100 % for the fabric. In order to get complete blocking of the light the fabric has to be fitted so that no light is transmitted on the sides of the fabric. *The higher the number, the better.*

OPERATING SYSTEM



SecurLift™ Chainloop

- Easily operate your shade by pulling the stainless steel chain to raise and lower the shade
- Chainloop stays at a constant length and is partially housed in a clear plastic guard (SecurLift™)
- Must specify chain location, left or right for single shade. 2-on-1 chain location is standard (left shade = L/right shade = R)
- Must specify chain length

Chain Length	SecurLift™ Length
1.5 ft	4"
2 ft	10"
3 ft	22"
4 ft	34"
5 ft	46"
6 ft	58"

- Available with 2-on-1 headrail
- For individual fabric specifications, refer to the *Shade Specifications* Charts



PerfectPlacement™ Cordless

- Precisely raise and lower the shade to any desired position. Bottom rail glides effortlessly up and down with minimal force
- Availble with Omni bottom rail only
- Clear lift handle(s) are standard. Shades over 42" (width) will have 2 handles
- Open roll shades come pre-assembled on a mounting rail. Rail colour is pre-selected and cannot be overridden (see *Colour Charts* for pre-selected colour)
- Optional Extension Pole is available
- Not available as 2-on-1 headrail
- For individual fabric specifications, refer to the *Shade Specications* Charts



InMotion™ Wand

- Includes integrated rechargeable lithium-ion battery, eliminating the need for disposable batteries
- Single touch push button power wand moves shade up and down and sets a favourite position
- Simple programming for worry free operation. Shade comes preprogrammed
- 5 colours (White, Vanilla, Gray, Bronze, and Black) colour coordinated to the fabric. Pre-determined and cannot be overridden. Refer to *Colour Chart* for wand colour
- Charging kit included (10 ft cable)
- Not compatible with InMotion™ Motorization accessories
- Must specify wand location, left or right for single shade. 2-on-1 wand location is standard (left shade = L/right shade = R)
- Wand length is pre-determined based on shade length. Alternate wand length can be requested

Shade Length	Suggested Wand Length
Up to 30"	1' (12")
30 1/8" to 52"	2' (24")
52 1/8" to 78"	3' (36")
78 1/8" to 100"	4' (48")
100 1/8" to 120"	5' (60")

- Available with 2-on-1 headrail
- For individual fabric specifications, refer to the *Shade Specifications* Charts

INMOTION™ MOTORIZATION



InMotion™ Motorization

- Includes integrated rechargeable lithium-ion battery, eliminating the need for disposable batteries
- Available with 2-on-1 headrail
- Control shades with a 15-channel Hand-Held Remote or Wall-Mount Remote (sold separately)
- Charge via the USB charging port (10ft extension cable included)
- Compatible with HUB and Solar Charger (both sold separately)
- For individual fabric specifications, refer to the *Shade Specifications* Charts



Hand-Held Remote

- 15 channels
- Batteries included (2 x AAA)
- Not compatible with InMotion™ Wand



Wall-Mount Remote

- 15 channels
- Operates the same way as a handheld remote
- Low profile, surface mount
- One per floor recommended
- Quick and easy installation using two mounting screws
- Batteries included (2 x AAA)
- Dimensions: 3.4" L x 3.4" W x .70" D
- Not compatible with InMotion™ Wand



Wi-Fi Hub

- Syncs with your Wi-Fi to enable app control and smart home integration
- USB plugs into any 5V/2A power source
- Organize shades by room
- See real-time shade position and battery charge status
- Store preset shade positions as scenes
- Create routines by scheduling scenes by day of week and time of day
- Adjust shades when you are away from home
- Links with Amazon Alexa, Google Home, and IFTTT
- App available to download for iOS and Android devices
- Not compatible with InMotion™ Wand
- For larger spaces, multiple hubs may be required
- It is recommended to have at least 1 remote per house for ease of programming. Allows full shade functionality, easy control for guests, and operation if power is out



Solar Charger

- One solar charger per shade is required
- Solar charger plugs directly into the shade
- Solar charges the shade with renewable solar energy (sun)
- Solar charger and/or shade can also be charged using the included charging kit
- Mounts to the glass using supplied installation tape (recommended method), or supplied "L" installation brackets (alternative method)
- Low profile mount
- Dimensions: 18.7" L x 2" W x .30" D
- Solar Charger cable 59"
- Not compatible with InMotion™ Wand

NOTE: LEVOLOR® InMotion™ is not compatible with products from the previous LEVOLOR® motorization program. This includes blinds/shades that are controlled with the previous LEVOLOR app, 3-channel remote, and 6-channel remote.

For additional information visit LEVOLOR.ca


INMOTION™ MOTORIZATION SOLAR PANEL OVERVIEW

SPECIFICATIONS

Working Voltage (Vm):	5V
Open circuit voltage (Voc):	6.3V
Short-circuit current (Isc):	659mA
Working current (Im):	606mA
Max. Output Power (Under 1000W/m2):	3W

Electrical performance tolerance:	voltage ± 10%; current ± 10%
International solar energy inspection standards:	solar radiation 1000W/m2; 1.5 Air Mass; humidity 25° C
Electricity requirements (each solar panel includes solar battery cells):	conversion efficiency 21%; open circuit voltage (Voc) 6.3V
IP Rating:	IP55
Temp Working Range:	14°F to 122°F (-10°C to 50°C)

DIMENSIONS



DEFINE THE BEST LOCATION TO INSTALL


The solar panel is designed for indoor use only. To maximize the performance of the solar panel, it should be installed as close as possible to the window glass, allowing as much natural light as possible to reach the panel.

Important

Any element between the Sun light and the solar panel will impact the charging time, and in some situations, prohibit the use of a solar panel. Overcast weather is an example of possible obstruction that impossible to predict or control, but there are other elements that we should consider before installing a solar panel, like:

- Awnings
- Trees
- Deep Eaves
- Tall buildings and walls
- Insect Screen
- Others

Do Not Use Solar Panel Under Below Conditions



Awnings | Deep Eaves | Vegetation Blocking Light | Insect Screen

TOP TREATMENT/VALANCE OPTIONS

No Valance

Open Roll (standard)

- Allows the shade to hang from the back of the roller tube closer to the window for better light control
- Extension brackets available (not available with cassette)

Reverse Open Roll

- Allows the shade to roll off the front concealing the roller tube
- Not available with cassette
- Extension brackets available (not available with cassette)

Deluxe Valance




- Inside Mount only (no returns available)
- Height = 3-5/8"
- Includes matching fabric insert
- Fabric runs the same direction as the shade
- Valances that exceed the Max Fabric Width, the fabric insert will be spliced and will have a centre seam (see image below). Does not apply to railroaded fabrics



- Fabric insert will be spliced (centre seam) when the overall shade width exceeds Max Fabric Width less 8"

  Example:
  - overall blind width = 110"
  - max fabric width = 115"
  - 115" less 8" = 107"
  - fabric insert will be spliced (centre seam)
- Refer to *Collection Information* charts for max fabric width and limitations by fabric

Cassette



- Cassette with fabric insert comes standard
- Choose between Medium or Large Cassette (refer to *Shade Specifcations* charts for medium cassette limitations)
- Medium Cassette dimension (3-1/8" height x 3-3/4" depth)
- Large Cassette dimension (3-7/8" height x 3-7/8" depth)
- Colour is pre-selected based on fabric colour (see *Colour Chart* for details)
- Fabric runs the same direction as the shade
- Fabric insert will be spliced on 2-on-1 headrail when the overall valance width exceeds fabric width



- Not availabe with Reverse Roll
- Spacer blocks available on outside mount only (must be requested at time of order)
- Cassette is not available as a standalone option - must be ordered with the shade


FEATURES/OPTIONS

Bottom Rail - must be selected



Omni Curved (~ 1-1/8")


- Front of rail is fabric wrapped, back of rail is painted metal
- Bottom rail colours are pre-determined and cannot be overriden
- Clear lift handles supplied with PerfectPlacement™ Cordless only (shades over 42" width will have 2 handles)
- Magnetic Hold-down brackets available on all operating systems (outside mount only). Not available on reverse roll
- Refer to *Colour Charts* for backside rail colour



Heat Sealed (~ 1-1/4")

- Aluminum bar is heat sealed into hem pocket, pocket edges are sealed
- Clear lift handles supplied with PerfectPlacement™ Cordless only (shades over 42" width will have 2 handles)
- Magnetic Hold-down brackets available on all operating systems (outside mount only). Not available on reverse roll
- Highly recommended on shades over 108" x 90", and when shade is railroaded, or when a heavier fabric is selected. The heat sealed bar helps reduce waviness, twisting, cupping & curling
- Not available with PerfectPlacement™ Cordless
- Select fabrics only - refer to *Collection Information* charts for availability

Side Channels



Width 1-3/8"
Depth 1/2"

- Available in 5 colours: White, Vanilla, Gray, Bronze, Black (must be selected at time of order)
- High quality PVC L-shaped side channels install in minutes (not pre-drilled)
- Offers additional privacy and light control
- Inside Mount only
- Available with PerfectPlacement™ Cordless, InMotion™ Wand and InMotion™ Motorization operating systems
- Available with Open Roll, Deluxe Valance, and Cassette Valance
- Available with 2-on-1 (surcharge includes one left channel and one right channel, no center channel)
- If Side Channels are selected, 1/2" will be deducted in addition to the 1/4" for inside mount
- Cannot be ordered separately

Extension Pole

- 18"-36" extension pole
- Compatible with PerfectPlacement™ Cordless only



NO DRILL HEADRAIL - EASYMOUNT™







- No tools required
- Shade brackets are pre-installed on mounting rail
- Push levers up to secure mounting rail into the window frame opening
- Snap shade into the brackets to complete installation
- Inside Mount only
- Only available with Medium Cassette
- Minimum mounting depth = 2-1/4"
- Mounting rail available in 5 colours: White, Vanilla, Gray, Bronze, and Black (must select at time of order)
- Available on: PerfectPlacement™ Cordless, InMotion™ Wand, and InMotion™ Motorization
- Not available with extension brackets, side channels, side mount brackets, spacer blocks, or 2-on-1 headrail
- No additional shade deductions will be taken other than standard inside mount deductions
- Price as single shade and add No Drill Headrail - EasyMount™ surcharge

NO DRILL HEADRAIL - EASYMOUNT™ SPECIFICATIONS				
	SecurLift™ Chainloop	**PerfectPlacement™ Cordless**	**InMotion™ Wand**	**InMotion™ Motorization**
Min Width	N/A	18 1/2"	22 1/2"	22"
Min Height	N/A	24"	12"	12"
Max Width	N/A	84"	84"	84"
Max Height*	N/A	84"*	84"*	84"*


*See *Shade Specifications* charts for select fabric height restrictions due to Medium Cassette limitations

ADDITIONAL INFORMATION


ROLL DIRECTION

Open Roll/Reverse Open Roll

- Extended projection brackets available (n/a with cassette)



Open Roll - Allows the shade to hang from the back of the roller tube closer to the window for better light control




Reverse Open Roll - Allows the shade to roll off the front concealing the roller tube (n/a with cassette)

2-ON-1 HEADRAIL

- A 2-on-1 shade is two individual shades housed under one continuous top treatment.
- Requires a cassette valance.
- Not available with PerfectPlacement™ Cordless.
- Control Position: Left for left panel and right for right panel.
- Middle gap between the 2 shades is 1/2".
- Price as 2 individual shades and add together.
- Heat sealed hem bottom rail is strongly recommended to improve the appearance of the shade. It will help minimize waviness, twisting, cupping, and curling.

MAGNETIC HOLD DOWN BRACKET

- Available for all control systems
- Available with both bottom rail options
- Outside Mount Only
- Shade will ship with magnets attached onto the bottom rail
- Not available for reverse roll
- Magnet and catch are silver



SPACER BLOCK

- Available with cassette outside mount only (must be requested at time of order)

RAILROADING/MATERIAL SPLICING/SEAM PLACEMENT

Railroaded Material

Railroaded material is when the fabric is turned on its side; using the material roll length for the shade width to increase the maximum width when available. Depending on the weaves/construction, many of the fabric collections can be railroaded but with visible seam when the shade is extended. Fabrics that are railroaded may curl along the edge.

When a shade needs to be railroaded, it is highly recommended to railroad all other shades within the same room for a uniform look.

Standard Splicing (Seam Placement)

Seams may be visible when the shade is fully extended. Seams will be placed as close to the tube as possible, location may varied depending upon roll width and shade height.

Although we maintain the highest quality standards, an exact pattern match at the seam on individual shades cannot be guaranteed. Pattern matches from shade to shade, horizontally or vertically, on multiple shade orders cannot be guaranteed.



CRITICAL DIMENSIONS

Due to operating system limitations, ensure to reference the *SHADE SPECIFICATIONS* charts as each fabric collection may have additional width and height limitations.

SPECIFICATIONS - SINGLE SHADE				
	SecurLift™ Chainloop Control	**PerfectPlacement™ Cordless** (open roll cordless comes with mounting bar)	**InMotion™ Wand**	**InMotion™ Motorization**
Min Width	12"	18"	21"	21-1/2"
Max Width - Open Roll & Deluxe Valance	132"	108"	132"	132"
Max Width - Med or Lrg Cassette	126"	108"	126"	126"
Min Height	12"	12"	12"	12"
Max Height	144"	120"	144"	144"

SPECIFICATIONS - 2-ON-1 HEADRAIL				
	SecurLift™ Chainloop Control	**PerfectPlacement™ Cordless** (open roll cordless comes with mounting bar)	**InMotion™ Wand**	**InMotion™ Motorization**
Min Width	24"	n/a	43"	44"
Max Width - Open Roll & Deluxe Valance	n/a	n/a	n/a	n/a
Max Width - Med or Lrg Cassette	126"	n/a	126"	126"
Min Height	12"	n/a	12"	12"
Max Height	144"	n/a	144"	144"

FINISHED DIMENSIONS - SINGLE PANEL				
INSIDE MOUNT	**SecurLift™ Chainloop Control**	**PerfectPlacement™ Cordless** (open roll cordless comes with mounting bar)	**InMotion™ Wand**	**InMotion™ Motorization**
Open Roll/Reverse Roll	minus 3/16"	minus 1/8"	minus 3/16"	minus 3/16"
Deluxe Valance	minus 3/16"	minus 1/8"	minus 3/16"	minus 3/16"
Cassette (Med & Lg)	minus 3/16"	minus 3/16"	minus 3/16"	minus 3/16"
OUTSIDE MOUNT	**SecurLift™ Chainloop Control**	**PerfectPlacement™ Cordless Lift**	**InMotion™ Wand**	**InMotion™ Motorization**
Open Roll/Reverse Roll	ordered width	ordered width	ordered width	ordered width
Deluxe Valance	n/a	n/a	n/a	n/a
Cassette (Med & Lg)	ordered width	ordered width	ordered width	ordered width

FINISHED DIMENSIONS - 2-ON-1 HEADRAIL				
INSIDE MOUNT	**SecurLift™ Chainloop Control**	**PerfectPlacement™ Cordless Lift**	**InMotion™ Wand**	**InMotion™ Motorization**
Open Roll/Reverse Roll	n/a	n/a	n/a	n/a
Deluxe Valance	n/a	n/a	n/a	n/a
Cassette (Med & Lg)	minus 3/16"	n/a	minus 3/16"	minus 3/16"
OUTSIDE MOUNT	**SecurLift™ Chainloop Control**	**PerfectPlacement™ Cordless Lift**	**InMotion™ Wand**	**InMotion™ Motorization**
Open Roll/Reverse Roll	n/a	n/a	n/a	n/a
Deluxe Valance	n/a	n/a	n/a	n/a
Cassette (Med & Lg)	ordered width	n/a	ordered width	ordered width

CRITICAL DIMENSIONS

Due to operating system limitations, ensure to reference the *SHADE SPECIFICATIONS* charts as each fabric collection may have additional width and height limitations.

INSTALLATION BRACKETS				
Number of Brackets				
Shade Width	**SecurLift™ Chainloop Control**	**PerfectPlacement™ Cordless Lift**	**InMotion™ Wand**	**InMotion™ Motorization**
>=54	2	2	2	2
< 54 1/8" >= 96	3	3	3	3
>96 1/8"	4	4	4	4

MOUNTING DEPTH		
INSIDE MOUNT	**Minimum Mounting Depth**	**Flush Mounting Depth**
Open Roll/Reverse Roll	1-3/8"	2-1/8" to 4"
Deluxe Valance	1-7/8"	3-1/8"
Medium Cassette	1-1/2"	3-3/4"
Medium Cassette No Tools Headrail - EasyMount™	2-1/4"	3-3/4"
Large Cassette	1-1/2"	4-1/4"
OUTSIDE MOUNT	**Minimum Mounting Surface Height**	
Open Roll/Reverse Roll	1-5/8"	
Deluxe Valance	n/a	
Medium Cassette	3-1/8"	
Medium Cassette No Tools Headrail - EasyMount™	n/a	
Large Cassette	4"	

LIGHT GAPS* (Fabric Width is narrowrer than the finished shade)		
Operating System	**Inside Mount**	**Outside Mount**
SecurLift™ Chainloop	5/8"	n/a
PerfectPlacement™ Cordless Lift	1/2"	n/a
InMotion™ Wand	5/8"	n/a
InMotion™ Motorization	5/8"	n/a

* Light gap on each side

SHADE SPECIFICATIONS

PERFECTPLACEMENT™ CORDLESS - OPEN ROLL & DELUXE VALANCE															
Single Panel			Min Width						Min Height						
			18"						24"						
Fabric Collection	Max Width	Rail-roaded Over*	Width To:												
			36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"
			Height To:												
1% Catalina LF	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
1% Newport LF	96"	-	84	84	84	84	84	84	84	84	84	60	48	-	-
1% Solapur LF	102"	-	96	96	96	96	96	96	96	96	96	72	54	36	-
3% Acadia LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
3% Catalina LF	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
3% Malibu LF	102"	-	96	96	96	96	96	96	96	96	96	72	54	42	-
3% Newport LF	102"	98"	96	96	96	96	96	96	96	96	96	72	54	36	-
3% Solapur LF	102"	-	96	96	96	96	96	96	96	96	96	72	54	36	-
5% Acadia LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
5% Catalina LF	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
5% Key West LF	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
5% Newport LF	102"	98"	84	84	84	84	84	84	84	84	96	72	54	36	-
5% Solapur LF	102"	-	96	96	96	96	96	96	96	96	96	72	54	42	-
5% Sonoma LF	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
10% Solapur LF	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Aberdeen LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Aspen LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Aspen BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Bellamy LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Bellamy BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Belmont LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Belmont BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Boulevard LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Boulevard BO	102"	-	96	96	96	96	96	96	96	96	96	72	54	42	-
Brighton LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Chelsea LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Chelsea BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Everest LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Everest BO	102"	-	120	120	120	120	120	120	120	120	108	84	60	42	-
Finnley LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Finnley BO	102"	-	120	120	120	120	120	120	120	120	108	84	60	42	-
Kashia LF	94"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
Lavish BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Madison LF	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Madison BO	102"	-	96	96	96	96	96	96	96	96	96	72	54	36	-
Midtown BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Monte Vista LF	94"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
Monte Vista BO	94"	-	96	96	96	96	96	96	96	96	96	72	54	-	-
Oxford LF	94"	-	120	120	120	120	120	120	120	120	120	120	120	-	-
Oxford BO	94"	-	120	120	120	120	120	120	120	120	120	114	84	-	-
Ravello LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Serenity BO	78"	-	120	120	120	120	120	120	120	120	-	-	-	-	-
Toulouse LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Toulouse BO	102"	-	120	120	120	120	120	120	120	120	108	84	60	42	-
Valentina LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Valentina BO	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
Valhalla LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Vitality BO	102"	72"	120	120	120	120	120	120	120	120	120	96	72	48	-
Waverly LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Waverly BO	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
Westport LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Westport BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-

*Fabric will be horizontally seamed when railroaded if length exceeds maximum fabric width

SHADE SPECIFICATIONS

PERFECTPLACEMENT™ CORDLESS - MEDIUM CASSETTE															
Single Panel			Min Width						Min Height						
			18"						24"						
Fabric Collection	Max Width	Rail-roaded Over*	Width To:												
			36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"
			Height To:												
1% Catalina LF	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
1% Newport LF	96"	-	78	78	78	78	78	78	78	78	78	60	48	-	-
1% Solapur LF	102"	-	78	78	78	78	78	78	78	78	78	66	54	36	-
3% Acadia LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
3% Catalina LF	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
3% Malibu LF	102"	-	84	84	84	84	84	84	84	84	84	72	54	42	-
3% Newport LF	102"	98"	78	78	78	78	78	78	78	78	78	66	54	36	-
3% Solapur LF	102"	-	78	78	78	78	78	78	78	78	78	66	54	36	-
5% Acadia LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
5% Catalina LF	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
5% Key West LF	102"	-	84	84	84	84	84	84	84	84	84	84	72	48	-
5% Newport LF	102"	98"	78	78	78	78	78	78	78	78	78	66	54	36	-
5% Solapur LF	102"	-	84	84	84	84	84	84	84	84	84	72	54	42	-
5% Sonoma LF	102"	-	84	84	84	84	84	84	84	84	84	84	72	48	-
10% Solapur LF	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Aberdeen LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Aspen LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Aspen BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Bellamy LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Bellamy BO	102"	-	84	84	84	84	84	84	84	84	84	84	72	48	-
Belmont LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Belmont BO	102"	-	84	84	84	84	84	84	84	84	84	84	72	48	-
Boulevard LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Boulevard BO	102"	-	84	84	84	84	84	84	84	84	84	72	54	42	-
Brighton LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Chelsea LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Chelsea BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Everest LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Everest BO	102"	-	84	84	84	84	84	84	84	84	84	84	60	42	-
Finnley LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Finnley BO	102"	-	84	84	84	84	84	84	84	84	84	84	60	42	-
Kashia LF	94"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
Lavish BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Madison LF	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Madison BO	102"	-	78	78	78	78	78	78	78	78	78	66	54	36	-
Midtown BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Monte Vista LF	94"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
Monte Vista BO	94"	-	84	84	84	84	84	84	84	84	84	72	54	-	-
Oxford LF	94"	-	120	120	120	120	120	120	120	120	120	120	120	-	-
Oxford BO	94"	-	120	120	120	120	120	120	120	120	120	114	84	-	-
Ravello LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Serenity BO	78"	-	84	84	84	84	84	84	84	84	-	-	-	-	-
Toulouse LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Toulouse BO	102"	-	84	84	84	84	84	84	84	84	84	84	60	42	-
Valentina LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Valentina BO	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
Valhalla LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Vitality BO	102"	72"	120	120	120	120	120	120	120	120	120	96	72	48	-
Waverly LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Waverly BO	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
Westport LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Westport BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-

*Fabric will be horizontally seamed when railroaded if length exceeds maximum fabric width

SHADE SPECIFICATIONS

PERFECTPLACEMENT™ CORDLESS - LARGE CASSETTE															
Single Panel			Min Width						Min Height						
			18"						24"						
Fabric Collection	Max Width	Rail-roaded Over*	Width To:												
			36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"
			Height To:												
1% Catalina LF	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
1% Newport LF	96"	-	84	84	84	84	84	84	84	84	84	60	48	-	-
1% Solapur LF	102"	-	96	96	96	96	96	96	96	96	96	72	54	36	-
3% Acadia LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
3% Catalina LF	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
3% Malibu LF	102"	-	96	96	96	96	96	96	96	96	96	72	54	42	-
3% Newport LF	102"	98"	96	96	96	96	96	96	96	96	96	72	54	36	-
3% Solapur LF	102"	-	96	96	96	96	96	96	96	96	96	72	54	36	-
5% Acadia LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
5% Catalina LF	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
5% Key West LF	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
5% Newport LF	102"	98"	84	84	84	84	84	84	84	84	96	72	54	36	-
5% Solapur LF	102"	-	96	96	96	96	96	96	96	96	96	72	54	42	-
5% Sonoma LF	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
10% Solapur LF	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Aberdeen LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Aspen LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Aspen BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Bellamy LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Bellamy BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Belmont LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Belmont BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Boulevard LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Boulevard BO	102"	-	96	96	96	96	96	96	96	96	96	72	54	42	-
Brighton LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Chelsea LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Chelsea BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Everest LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Everest BO	102"	-	120	120	120	120	120	120	120	120	108	84	60	42	-
Finnley LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	102	66
Finnley BO	102"	-	120	120	120	120	120	120	120	120	108	84	60	42	-
Kashia LF	94"	-	120	120	120	120	120	120	120	120	120	114	84	-	-
Lavish BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Madison LF	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Madison BO	102"	-	96	96	96	96	96	96	96	96	96	72	54	36	-
Midtown BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-
Monte Vista LF	94"	-	120	120	120	120	120	120	120	120	120	114	84	-	-
Monte Vista BO	94"	-	96	96	96	96	96	96	96	96	96	72	54	-	-
Oxford LF	94"	-	120	120	120	120	120	120	120	120	120	120	120	-	-
Oxford BO	94"	-	120	120	120	120	120	120	120	120	120	114	84	-	-
Ravello LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Serenity BO	78"	-	120	120	120	120	120	120	120	120	-	-	-	-	-
Toulouse LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Toulouse BO	102"	-	120	120	120	120	120	120	120	120	108	84	60	42	-
Valentina LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Valentina BO	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
Valhalla LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Vitality BO	102"	72"	120	120	120	120	120	120	120	120	120	96	72	48	-
Waverly LF	108"	-	120	120	120	120	120	120	120	120	120	120	120	120	66
Waverly BO	108"	-	120	120	120	120	120	120	120	120	120	114	84	60	36
Westport LF	108"	-	120	120	120	120	120	120	120	120	120	120	108	78	48
Westport BO	102"	-	120	120	120	120	120	120	120	120	120	96	72	48	-

*Fabric will be horizontally seamed when railroaded if length exceeds maximum fabric width

SHADE SPECIFICATIONS

SECURLIFT™ - OPEN ROLL & DELUXE VALANCE																			
Single Panel			Min Width								Min Height								
			12"**								12"								
Fabric Collection	Max Width	Rail Roaded Over*	Width To (in inches)																
			36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	126"	132"
			Height To (in inches)																
1% Catalina LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
1% Newport LF	132"	98"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
1% Solapur LF	132"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
3% Acadia LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
3% Catalina LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
3% Malibu LF	132"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
3% Newport LF	132"	98"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
3% Solapur LF	132"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
5% Acadia LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
5% Catalina LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
5% Key West LF	132"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
5% Newport LF	132"	98"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
5% Solapur LF	132"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
5% Sonoma LF	132"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
10% Solapur LF	132"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
Aberdeen LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Aspen LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Aspen BO	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Bellamy LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Bellamy BO	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Belmont LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Belmont BO	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Boulevard LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Boulevard BO	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Brighton LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Chelsea LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Chelsea BO	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Everest LF	132"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
Everest BO	132"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
Finnley LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Finnley BO	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Kashia LF	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-	-
Lavish BO	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Madison LF	132"	110"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
Madison BO	132"	110"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
Midtown BO	132"	110	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
Monte Vista LF	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-	-
Monte Vista BO	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-	-
Oxford LF	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-	-
Oxford BO	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-	-
Ravello LF	132"	110	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
Serenity BO	78"	-	144	144	144	144	144	144	144	144	-	-	-	-	-	-	-	-	-
Toulouse LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Toulouse BO	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Valentina LF	132"	122"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
Valentina BO	132"	120"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
Valhalla LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Vitality BO	132"	72"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
Waverly LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Waverly BO	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Westport LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Westport BO	114"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-

*Fabric will be horizontally seamed when railroaded if length exceeds maximum fabric width
**12" wide max height is 60"

SHADE SPECIFICATIONS

INMOTION™ WAND - INMOTION™ MOTORIZATION - OPEN ROLL & DELUXE VALANCE																			
Single Panel			**Min Width**								**Min Height**								
InMotion™ Wand			21"								12"								
InMotion™ Motorization			21-1/2"								12"								
Fabric Collection	**Max Width**	**Rail-roaded Over***	**Width To (in inches)**																
			36"	**42"**	**48"**	**54"**	**60"**	**66"**	**72"**	**78"**	**84"**	**90"**	**96"**	**102"**	**108"**	**114"**	**120"**	**126"**	**132"**
			Height To (in inches)																
1% Catalina LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	-	-
1% Newport LF	120"	98"	144	144	144	144	144	144	144	144	144	144	144	144	102	72	48	-	-
1% Solapur LF	126"	118"	144	144	144	144	144	144	144	144	144	144	144	144	114	78	54	36	-
3% Acadia LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-	-
3% Catalina LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	132	90	-	-
3% Malibu LF	126"	118"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	36	-
3% Newport LF	120"	98"	144	144	144	144	144	144	144	144	144	144	144	144	102	72	48	-	-
3% Solapur LF	126"	118"	144	144	144	144	144	144	144	144	144	144	144	144	114	78	54	36	-
5% Acadia LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-	-
5% Catalina LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	132	90	-	-
5% Key West LF	126"	118"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	36	-
5% Newport LF	120"	98"	144	144	144	144	144	144	144	144	144	144	144	144	114	78	54	-	-
5% Solapur LF	126"	118"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	36	-
5% Sonoma LF	126"	118"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	36	-
10% Solapur LF	126"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	48	-
Aberdeen LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Aspen LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Aspen BO	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	96	-	-	-
Bellamy LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	114	78	-	-	-
Bellamy BO	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	-	-	-
Belmont LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	108	-	-
Belmont BO	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	-	-
Boulevard LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Boulevard BO	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	-	-	-
Brighton LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Chelsea LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-	-
Chelsea BO	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	-	-
Everest LF	132"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	96	60
Everest BO	132"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	132	90	54	48
Finnley LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Finnley BO	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-	-
Kashia LF	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-	-
Lavish BO	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	-	-	-
Madison LF	126"	110"	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	48	-
Madison BO	126"	110"	144	144	144	144	144	144	144	144	144	144	144	144	114	78	54	36	-
Midtown BO	126"	110	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	48	
Monte Vista LF	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-	-
Monte Vista BO	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-	-
Oxford LF	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-	-
Oxford BO	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-	-
Ravello LF	132"	110	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	96	60
Serenity BO	78"	-	144	144	144	144	144	144	144	144	-	-	-	-	-	-	-	-	-
Toulouse LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144			
Toulouse BO	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	114	78			
Valentina LF	132"	122"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	96	60
Valentina BO	126"	120"	144	144	144	144	144	144	144	144	144	144	144	144	144	132	90	54	-
Valhalla LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-	-
Vitality BO	126"	72"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	36	-
Waverly LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-	-
Waverly BO	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-	-
Westport LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-	-
Westport BO	114"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	96	-	-	-

*Fabric will be horizontally seamed when railroaded if length exceeds maximum fabric width

SHADE SPECIFICATIONS

SECURLIFT™ - INMOTION™ WAND - INMOTION™ MOTORIZATION- MEDIUM CASSETTE																	
Single Panel			**Min Width**								**Min Height**						
SecurLift™			12"**								12"						
InMotion™ Wand			21"								12"						
InMotion™ Motorization			21-1/2"								12"						
Fabric Collection	**Max Width**	**Rail-roaded Over***	**Width To (in inches)**														
			36"	**42"**	**48"**	**54"**	**60"**	**66"**	**72"**	**78"**	**84"**	**90"**	**96"**	**102"**	**108"**	**114"**	**120"**	**126"**
			Height To (in inches)														
1% Catalina LF	118"	-	144	144	144	144	144	144	144	144	132	96	78	78	78	78	72	-
1% Newport LF	120"	98"	114	114	114	114	114	114	114	114	90	66	60	60	60	60	48	-
1% Solapur LF	126"	118"	102	102	102	102	102	102	102	102	102	72	48	48	48	48	48	36
3% Acadia LF	118"	-	144	144	144	144	144	144	144	144	114	108	108	108	108	90	60	-
3% Catalina LF	118"	-	120	120	120	120	120	120	120	120	120	114	84	60	60	60	60	-
3% Malibu LF	126"	118"	114	114	114	114	114	114	114	114	114	84	60	60	60	60	60	36
3% Newport LF	120"	98"	114	114	114	114	114	114	114	114	90	66	54	54	54	54	48	-
3% Solapur LF	126"	118"	108	108	108	108	108	108	108	108	102	72	54	54	54	54	54	36
5% Acadia LF	118"	-	144	144	144	144	144	144	144	144	114	102	102	102	102	90	60	-
5% Catalina LF	118"	-	120	120	120	120	120	120	120	120	120	114	84	60	60	60	60	-
5% Key West LF	126"	118"	126	126	126	126	126	126	126	126	114	84	66	66	66	66	60	36
5% Newport LF	120"	98"	108	108	108	108	108	108	108	108	102	72	54	54	54	54	54	-
5% Solapur LF	126"	118"	132	132	132	132	132	132	132	132	114	84	66	66	66	66	60	36
5% Sonoma LF	126"	118"	126	126	126	126	126	126	126	126	114	84	66	66	66	66	60	36
10% Solapur LF	126"	118"	138	138	138	138	138	138	138	138	132	96	72	72	72	72	72	48
Aberdeen LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	126	126	126	-	-
Aspen LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	120	120	120	-	-
Aspen BO	110"	-	144	144	144	144	144	144	144	144	132	96	78	78	78	78	-	-
Bellamy LF	110"	-	132	132	132	132	132	132	132	132	102	72	66	66	66	66	-	-
Bellamy BO	110"	-	108	108	108	108	108	108	108	108	108	84	60	54	54	54	-	-
Belmont LF	118"	-	144	144	144	144	144	144	144	144	144	144	102	96	96	96	96	-
Belmont BO	118"	-	120	120	120	120	120	120	120	120	120	96	66	60	60	60	60	-
Boulevard LF	110"	-	114	114	114	114	114	114	114	114	114	114	102	72	60	60	-	-
Boulevard BO	110"	-	96	96	96	96	96	96	96	96	96	84	60	48	48	48	-	-
Brighton LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	102	84	84	-	-
Chelsea LF	118"	-	144	144	144	144	144	144	144	144	114	84	72	72	72	72	60	-
Chelsea BO	118"	-	144	144	144	144	144	144	144	144	132	96	78	78	78	78	72	-
Everest LF	126"	118"	132	132	132	132	132	132	132	132	132	114	84	66	66	66	66	54
Everest BO	126"	118"	114	114	114	114	114	114	114	114	114	84	60	54	54	54	54	36
Finnley LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	120	120	120	120	-
Finnley BO	118"	-	144	144	144	144	144	144	144	144	114	84	72	72	72	72	60	-
Kashia LF	94"	-	126	126	126	126	126	126	126	126	126	114	84	-	-	-	-	-
Lavish BO	110"	-	144	144	144	144	144	144	144	144	132	96	90	90	90	90	-	-
Madison LF	126"	110"	96	96	96	96	96	96	96	96	96	96	66	48	48	48	48	48
Madison BO	126"	110"	84	84	84	84	84	84	84	84	84	72	48	42	42	42	42	36
Midtown BO	126"	110	144	144	144	144	144	144	144	144	132	96	78	78	78	78	72	48
Monte Vista LF	94"	-	138	138	138	138	138	138	138	138	132	96	72	-	-	-	-	-
Monte Vista BO	94"	-	102	102	102	102	102	102	102	102	102	84	60	-	-	-	-	-
Oxford LF	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-
Oxford BO	94"	-	144	144	144	144	144	144	144	144	144	114	84	-	-	-	-	-
Ravello LF	126"	110	144	144	144	144	144	144	144	144	144	144	144	102	102	102	102	96
Serenity BO	78"	-	132	132	132	132	132	132	132	132	-	-	-	-	-	-	-	-
Toulouse LF	110"	-	144	144	144	144	144	144	144	144	144	144	102	84	84	84	-	-
Toulouse BO	110"	-	102	102	102	102	102	102	102	102	102	72	48	48	48	48	-	-
Valentina LF	126"	122"	144	144	144	144	144	144	144	144	144	144	144	102	90	90	90	90
Valentina BO	120"	-	144	144	144	144	144	144	144	144	144	114	84	78	78	78	78	-
Valhalla LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	102	96	96	-	-
Vitality BO	126"	72"	144	144	144	144	144	144	144	144	120	120	120	120	120	90	60	36
Waverly LF	118"	-	144	144	144	144	144	144	144	144	114	90	90	90	90	90	60	-
Waverly BO	118"	-	144	144	144	144	144	144	144	144	114	84	78	78	78	78	60	-
Westport LF	118"	-	144	144	144	144	144	144	144	144	114	102	102	102	102	90	60	-
Westport BO	114"	-	144	144	144	144	144	144	144	144	132	102	102	102	102	96	-	-

*Fabric will be horizontally seamed when railroaded if length exceeds maximum fabric width
**12" wide max height is 60"

SHADE SPECIFICATIONS 2-ON-1

SECURLIFT™ - INMOTION™ WAND - INMOTION™ MOTORIZATION- MEDIUM CASSETTE																		
2-on-1 Headrail			**Min Width 2-on-1**						**Min Width Per Panel**				**Min Height** (max height for 12" width is 60")					
SecurLift™			24"						12"**				12"					
InMotion™ Wand			43"						21"				12"					
InMotion™ Motorization			44"						21-1/2"				12"					
Fabric Collection	**Max Width Overall**	**Max Width Per Panel**	**Width To:**															
			36"	**42"**	**48"**	**54"**	**60"**	**66"**	**72"**	**78"**	**84"**	**90"**	**96"**	**102"**	**108"**	**114"**	**120"**	**126"**
			Height To:															
1% Catalina LF	118"	59"	144	144	144	144	144	144	144	144	132	96	78	78	78	78	72	-
1% Newport LF	120"	60"	114	114	114	114	114	114	114	114	90	66	60	60	60	60	48	-
1% Solapur LF	126"	63"	102	102	102	102	102	102	102	102	102	72	48	48	48	48	48	36
3% Acadia LF	118"	59"	144	144	144	144	144	144	144	144	114	108	108	108	108	90	60	-
3% Catalina LF	118"	59"	120	120	120	120	120	120	120	120	120	114	84	60	60	60	60	-
3% Malibu LF	126"	63"	114	114	114	114	114	114	114	114	114	84	60	60	60	60	60	36
3% Newport LF	120"	60"	114	114	114	114	114	114	114	114	90	66	54	54	54	54	48	-
3% Solapur LF	126"	63"	108	108	108	108	108	108	108	108	102	72	54	54	54	54	54	36
5% Acadia LF	118"	59"	144	144	144	144	144	144	144	144	114	102	102	102	102	90	60	-
5% Catalina LF	118"	59"	120	120	120	120	120	120	120	120	120	114	84	60	60	60	60	-
5% Key West LF	126"	63"	126	126	126	126	126	126	126	126	114	84	66	66	66	66	60	36
5% Newport LF	120"	60"	108	108	108	108	108	108	108	108	102	72	54	54	54	54	54	-
5% Solapur LF	126"	63"	132	132	132	132	132	132	132	132	114	84	66	66	66	66	60	36
5% Sonoma LF	126"	63"	126	126	126	126	126	126	126	126	114	84	66	66	66	66	60	36
10% Solapur LF	126"	63"	138	138	138	138	138	138	138	138	132	96	72	72	72	72	72	48
Aberdeen LF	110"	55"	144	144	144	144	144	144	144	144	144	144	144	126	126	126	-	-
Aspen LF	110"	55"	144	144	144	144	144	144	144	144	144	144	144	120	120	120	-	-
Aspen BO	110"	55"	144	144	144	144	144	144	144	144	132	96	78	78	78	78	-	-
Bellamy LF	110"	55"	132	132	132	132	132	132	132	132	102	72	66	66	66	66	-	-
Bellamy BO	110"	55"	108	108	108	108	108	108	108	108	108	84	60	54	54	54	-	-
Belmont LF	118"	59"	144	144	144	144	144	144	144	144	144	144	102	96	96	96	96	-
Belmont BO	118"	59"	120	120	120	120	120	120	120	120	120	96	66	60	60	60	60	-
Boulevard LF	110"	55"	114	114	114	114	114	114	114	114	114	114	102	72	60	60	-	-
Boulevard BO	110"	55"	96	96	96	96	96	96	96	96	96	84	60	48	48	48	-	-
Brighton LF	110"	55"	144	144	144	144	144	144	144	144	144	144	144	102	84	84	-	-
Chelsea LF	118"	59"	144	144	144	144	144	144	144	144	114	84	72	72	72	72	60	-
Chelsea BO	118"	59"	144	144	144	144	144	144	144	144	132	96	78	78	78	78	72	-
Everest LF	126"	63"	132	132	132	132	132	132	132	132	132	114	84	66	66	66	66	54
Everest BO	126"	63"	114	114	114	114	114	114	114	114	114	84	60	54	54	54	54	36
Finnley LF	118"	59"	144	144	144	144	144	144	144	144	144	144	144	120	120	120	120	-
Finnley BO	118"	59"	144	144	144	144	144	144	144	144	114	84	72	72	72	72	60	-
Kashia LF	94"	47"	126	126	126	126	126	126	126	126	126	114	84	-	-	-	-	-
Lavish BO	110"	55"	144	144	144	144	144	144	144	144	132	96	90	90	90	90	-	-
Madison LF	126"	63"	96	96	96	96	96	96	96	96	96	96	66	48	48	48	48	48
Madison BO	126"	63"	84	84	84	84	84	84	84	84	84	72	48	42	42	42	42	36
Midtown BO	126"	63"	144	144	144	144	144	144	144	144	132	96	78	78	78	78	72	48
Monte Vista LF	94"	47"	138	138	138	138	138	138	138	138	132	96	72	-	-	-	-	-
Monte Vista BO	94"	47"	102	102	102	102	102	102	102	102	102	84	60	-	-	-	-	-
Oxford LF	94"	47"	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-
Oxford BO	94"	47"	144	144	144	144	144	144	144	144	144	114	84	-	-	-	-	-
Ravello LF	126"	63"	144	144	144	144	144	144	144	144	144	144	144	102	102	102	102	96
Serenity BO	78"	39"	132	132	132	132	132	132	132	132	-	-	-	-	-	-	-	-
Toulouse LF	110"	55"	144	144	144	144	144	144	144	144	144	144	102	84	84	84	-	-
Toulouse BO	110"	55"	102	102	102	102	102	102	102	102	102	72	48	48	48	48	-	-
Valentina LF	126"	63"	144	144	144	144	144	144	144	144	144	144	144	102	90	90	90	90
Valentina BO	120"	60"	144	144	144	144	144	144	144	144	144	114	84	78	78	78	78	-
Valhalla LF	110"	55"	144	144	144	144	144	144	144	144	144	144	144	102	96	96	-	-
Vitality BO	126"	63"	144	144	144	144	144	144	144	144	120	120	120	120	120	90	60	36
Waverly LF	118"	59"	144	144	144	144	144	144	144	144	114	90	90	90	90	90	60	-
Waverly BO	118"	59"	144	144	144	144	144	144	144	144	114	84	78	78	78	78	60	-
Westport LF	118"	59"	144	144	144	144	144	144	144	144	114	102	102	102	102	90	60	-
Westport BO	114"	57"	144	144	144	144	144	144	144	144	132	102	102	102	102	96	-	-

*Fabric will be horizontally seamed when railroaded if length exceeds maximum fabric width
**12" wide max height is 60"

SHADE SPECIFICATIONS

SECURLIFT™ - INMOTION™ WAND - INMOTION™ MOTORIZATION- LARGE CASSETTE																	
Single Panel			**Min Width**								**Min Height**						
SecurLift™			12"**								12"						
InMotion™ Wand			21"								12"						
InMotion™ Motorization			21-1/2"								12"						
Fabric Collection	**Max Width**	**Rail Roaded Over***	**Width To (in inches)**														
			36"	**42"**	**48"**	**54"**	**60"**	**66"**	**72"**	**78"**	**84"**	**90"**	**96"**	**102"**	**108"**	**114"**	**120"**	**126"**
			Height To (in inches)														
1% Catalina LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	-
1% Newport LF	120"	98"	144	144	144	144	144	144	144	144	126	120	120	120	102	72	48	-
1% Solapur LF	126"	118"	144	144	144	144	144	144	144	138	102	102	102	102	102	78	54	36
3% Acadia LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
3% Catalina LF	118"	-	144	144	144	144	144	144	144	144	144	126	126	126	126	126	90	-
3% Malibu LF	126"	118"	144	144	144	144	144	144	144	144	120	120	120	120	120	90	60	36
3% Newport LF	120"	98"	144	144	144	144	144	144	144	126	120	120	120	120	102	72	48	-
3% Solapur LF	126"	118"	144	144	144	144	144	144	144	138	114	114	114	114	114	78	54	36
5% Acadia LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
5% Catalina LF	118"	-	144	144	144	144	144	144	144	144	144	126	126	126	126	126	90	-
5% Key West LF	126"	118"	144	144	144	144	144	144	144	144	132	132	132	132	132	84	60	36
5% Newport LF	120"	98"	144	144	144	144	144	144	144	138	114	114	114	114	114	78	54	-
5% Solapur LF	126"	118"	144	144	144	144	144	144	144	144	138	138	138	138	132	90	60	36
5% Sonoma LF	126"	118"	144	144	144	144	144	144	144	144	132	132	132	132	132	90	60	36
10% Solapur LF	126"	118"	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	48
Aberdeen LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Aspen LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Aspen BO	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	96	-	-
Bellamy LF	110"	-	144	144	144	144	144	144	144	138	138	138	138	138	114	78	-	-
Bellamy BO	110"	-	144	144	144	144	144	144	144	144	114	114	114	114	114	90	-	-
Belmont LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	108	-
Belmont BO	118"	-	144	144	144	144	144	144	144	144	132	126	126	126	126	96	72	-
Boulevard LF	110"	-	144	144	144	144	144	144	144	144	144	144	120	120	120	120	-	-
Boulevard BO	110"	-	144	144	144	144	144	144	144	144	114	102	102	102	102	90	-	-
Brighton LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Chelsea LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
Chelsea BO	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	-
Everest LF	126"	118"	144	144	144	144	144	144	144	144	144	138	138	138	138	132	90	54
Everest BO	126"	118"	144	144	144	144	144	144	144	144	120	120	120	120	120	90	60	36
Finnley LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-
Finnley BO	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
Kashia LF	94"	-	144	144	144	144	144	144	144	144	144	132	132	-	-	-	-	-
Lavish BO	110"	-	144	144	144	144	144	144	144	144	132	96	90	90	90	90	-	-
Madison LF	126"	110"	144	144	144	144	144	144	144	144	132	102	102	102	102	96	72	48
Madison BO	126"	110"	132	132	132	132	132	132	132	132	102	84	84	84	84	78	54	36
Midtown BO	126"	110	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	48
Monte Vista LF	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-
Monte Vista BO	94"	-	144	144	144	144	144	144	144	144	114	108	108	-	-	-	-	-
Oxford LF	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-
Oxford BO	94"	-	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-
Ravello LF	126"	110	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	96
Serenity BO	78"	-	144	144	144	144	144	144	144	144	-	-	-	-	-	-	-	-
Toulouse LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Toulouse BO	110"	-	144	144	144	144	144	144	144	138	102	102	102	102	102	78	-	-
Valentina LF	126"	122"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	96
Valentina BO	120"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	132	90	-
Valhalla LF	110"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Vitality BO	126"	72"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	36
Waverly LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
Waverly BO	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
Westport LF	118"	-	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
Westport BO	114"	-	144	144	144	144	144	144	144	144	144	144	144	144	144	96	-	-


*Fabric will be horizontally seamed when railroaded if length exceeds maximum fabric width
**12" wide max height is 60"

SHADE SPECIFICATIONS 2-ON-1

SECURLIFT™ - INMOTION™ WAND - INMOTION™ MOTORIZATION- LARGE CASSETTE																	
2-on-1 Headrail			**Min Width 2-on-1**						**Min Width Per Panel**					**Min Height** (max height for 12" width is 60")			
SecurLift™			24"						12"**					12"			
InMotion™ Wand			43"						21"					12"			
InMotion™ Motorization			44"						21-1/2"					12"			
Fabric Collection	**Max Width Overall**	**Max Width Per Panel**	**Width To:**														
			36"	**42"**	**48"**	**54"**	**60"**	**66"**	**72"**	**78"**	**84"**	**90"**	**96"**	**102"**	**108"**	**114"**	**120"**	**126"**
			Height To:														
1% Catalina LF	118"	59"	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	-
1% Newport LF	120"	60"	144	144	144	144	144	144	144	144	126	120	120	120	102	72	48	-
1% Solapur LF	126"	63"	144	144	144	144	144	144	144	138	102	102	102	102	102	78	54	36
3% Acadia LF	118"	59"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
3% Catalina LF	118"	59"	144	144	144	144	144	144	144	144	144	126	126	126	126	126	90	-
3% Malibu LF	126"	63"	144	144	144	144	144	144	144	144	120	120	120	120	120	90	60	36
3% Newport LF	120"	60"	144	144	144	144	144	144	144	126	120	120	120	120	102	72	48	-
3% Solapur LF	126"	63"	144	144	144	144	144	144	144	138	114	114	114	114	114	78	54	36
5% Acadia LF	118"	59"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
5% Catalina LF	118"	59"	144	144	144	144	144	144	144	144	144	126	126	126	126	126	90	-
5% Key West LF	126"	63"	144	144	144	144	144	144	144	144	132	132	132	132	132	84	60	36
5% Newport LF	120"	60"	144	144	144	144	144	144	144	138	114	114	114	114	114	78	54	-
5% Solapur LF	126"	63"	144	144	144	144	144	144	144	144	138	138	138	138	132	90	60	36
5% Sonoma LF	126"	63"	144	144	144	144	144	144	144	144	132	132	132	132	132	90	60	36
10% Solapur LF	126"	63"	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	48
Aberdeen LF	110"	55"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Aspen LF	110"	55"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Aspen BO	110"	55"	144	144	144	144	144	144	144	144	144	144	144	144	144	96	-	-
Bellamy LF	110"	55"	144	144	144	144	144	144	144	138	138	138	138	138	114	78	-	-
Bellamy BO	110"	55"	144	144	144	144	144	144	144	144	114	114	114	114	114	90	-	-
Belmont LF	118"	59"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	108	-
Belmont BO	118"	59"	144	144	144	144	144	144	144	144	132	126	126	126	126	96	72	-
Boulevard LF	110"	55"	144	144	144	144	144	144	144	144	144	144	120	120	120	120	-	-
Boulevard BO	110"	55"	144	144	144	144	144	144	144	144	114	102	102	102	102	90	-	-
Brighton LF	110"	55"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Chelsea LF	118"	59"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
Chelsea BO	118"	59"	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	-
Everest LF	126"	63"	144	144	144	144	144	144	144	144	144	138	138	138	138	132	90	54
Everest BO	126"	63"	144	144	144	144	144	144	144	144	120	120	120	120	120	90	60	36
Finnley LF	118"	59"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-
Finnley BO	118"	59"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
Kashia LF	94"	47"	144	144	144	144	144	144	144	144	144	132	132	-	-	-	-	-
Lavish BO	110"	55"	144	144	144	144	144	144	144	144	132	96	90	90	90	90	-	-
Madison LF	126"	63"	144	144	144	144	144	144	144	144	132	102	102	102	102	96	72	48
Madison BO	126"	63"	132	132	132	132	132	132	132	132	102	84	84	84	84	78	54	36
Midtown BO	126"	63"	144	144	144	144	144	144	144	144	144	144	144	144	144	96	72	48
Monte Vista LF	94"	47"	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-
Monte Vista BO	94"	47"	144	144	144	144	144	144	144	144	114	108	108	-	-	-	-	-
Oxford LF	94"	47"	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-
Oxford BO	94"	47"	144	144	144	144	144	144	144	144	144	144	144	-	-	-	-	-
Ravello LF	126"	63"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	96
Serenity BO	78"	39"	144	144	144	144	144	144	144	144	-	-	-	-	-	-	-	-
Toulouse LF	110"	55"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Toulouse BO	110"	55"	144	144	144	144	144	144	144	138	102	102	102	102	102	78	-	-
Valentina LF	126"	63"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	96
Valentina BO	120"	60"	144	144	144	144	144	144	144	144	144	144	144	144	144	132	90	-
Valhalla LF	110"	55"	144	144	144	144	144	144	144	144	144	144	144	144	144	144	-	-
Vitality BO	126"	63"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	36
Waverly LF	118"	59"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
Waverly BO	118"	59"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
Westport LF	118"	59"	144	144	144	144	144	144	144	144	144	144	144	144	132	90	60	-
Westport BO	114"	57"	144	144	144	144	144	144	144	144	144	144	144	144	144	96	-	-


*Fabric will be horizontally seamed when railroaded if length exceeds maximum fabric width
**12" wide max height is 60"

WINDOW AND MEASURING TERMINOLOGY




WINDOW COMPONENTS TERMINOLOGY

- Collectively, the sill and jambs are called the “window casement” or "frame".




INSIDE MOUNT

- Shade fits within window opening.
- Great for windows with beautiful trim.



OUTSIDE MOUNT


- Shade mounts outside window opening.
- Increased light control and privacy.




2-ON-1 HEADRAIL

- Provides the clean appearance of a single shade with the ability to operate each shade independently.
- Can be mounted inside or outside.

HOW TO MEASURE QUICKLY AND ACCURATELY



INSIDE MOUNT



OUTSIDE MOUNT

INSIDE MOUNT (IM) INSTALLATION — For a beautiful framed look

❶ MEASURE WIDTH

Measure to the nearest ⅛ in. between inside surfaces of window frame; at the top, middle, and bottom.

Record the narrowest width of the three.

❷ MEASURE HEIGHT

Measure to the nearest ⅛ in. from inside surface at top of window to top of sill; at the left, middle, and right.

Record the tallest height of the three.

❸ MEASURE DEPTH

Measure exact depth of window casing making note of any obstacles i.e. handles, tracks or cranks that could interfere with the blind or shade function.

Use the shortest depth.

OUTSIDE MOUNT (OM) INSTALLATION — For increased light control and privacy

❶ MEASURE WIDTH

Measure to the nearest ⅛ in. between outermost points where shade is to be placed.

Measurement should overlap each side of window frame by at least 1 ½ in.

❷ MEASURE HEIGHT

Measure to the nearest ⅛ in. from where top of shade will be located to top of sill, or measure to point of shade reach if no sill.

HELPFUL HINTS

- Always use a metal tape measure as cloth may stretch
- Measure your window - not your existing blind or shade
- Measure each window separately even if they appear to be identical
- Check depth to ensure shade will clear any obstacles and can accommodate headrail if flush mount is desired
- If you prefer shade not to touch sill, deduct ¼"
- If there is no sill, measure height to point where shade is to reach


NOTE: Take all measurements to the nearest ⅛ in. **DO NOT** take any deductions. The factory will make the necessary adjustments to help ensure your window covering operates smoothly.

Visit www.LEVOLOR.ca/how-to-measure for more measuring information

HOW TO MEASURE MULTIPLE SHADES ON ONE HEADRAIL

INSIDE MOUNT (IM) INSTALLATION

— For a beautiful framed look



❶ MEASURE WIDTH

Total Shade Width — Measure to the nearest ⅛ in. between inside surfaces of window frame; at the top, middle, and bottom.

Record the narrowest width of the three.

Left Shade Width — Measure the width that you want the left shade to cover.

Order this shade first when placing your order.

Right Shade Width — Measure the width that you want the right shade to cover.

❷ MEASURE HEIGHT

Overall Shade Height — Measure to the nearest ⅛ in. from inside surface at top of window to top of sill; at the left, middle and right.

Record the tallest height of the three.

❸ MEASURE DEPTH

Measure exact depth of window casing making note of any obstacles i.e. handles, tracks or cranks that could interfere with the blind or shade function.

Use the shortest depth.

OUTSIDE MOUNT (0M) INSTALLATION

— For increased light control and privacy

❶ MEASURE WIDTH

Overall Shade Width — Measure to the nearest ⅛ in. between outermost points where shade is to be placed.

Add an additional 3 in. to 6 in. to total width for maximum privacy.

Left Shade Width — Measure the width that you want the left shade to cover.

Order this shade first when placing your order.

Right Shade Width — Measure the width that you want the right shade to cover.

❷ MEASURE HEIGHT

Overall Shade Height — Measure to the nearest ⅛ in. from where top of shade will be located to top of sill, or measure to point of shade reach if no sill.

2-ON-1 HELPFUL HINTS:

- Order the left shade first when placing order
- Each shade operates separately
- Control location - left shade = L/right shade = R
- 2-on-1 center gap is ½"
- There will be a gap between the fabric on the left and right shades to operate independently
- Always use a metal tape measure as cloth may stretch
- Take all measurements to the nearest ⅛ inch. DO NOT take any deductions
- The factory will make the necessary adjustments to help ensure your shade operates smoothly
- Available with Cassette only
- Not available with Open/Reverse Roll
- Not available with Deluxe Valance
- Not available with PerfectPlacement™ Cordless
- See 2-on-1 Shade Specifications charts for specs
- Price as 2 individual shades (shade + operating system) and add together. Include any additional options or accessories

LEVOLOR® LIMITED LIFETIME WARRANTY FOR CUSTOM BLINDS AND SHADES

What is Covered?

LEVOLOR® extends a limited lifetime warranty on the enclosed product to the original residential retail purchaser only if the product was properly installed and remains in the original window.

The product is covered against manufacturing defects (i. e., a flaw in the product design, materials or workmanship that causes the product to no longer function) and has a limited lifetime warranty. Lifetime warranty extends for the life of the product as defined by category:

Product	From Date of Manufacture
Banded Shades	10 years
Cellular Shades	10 years
Faux Wood Blinds	10 years
Panel Track Shades	10 years
Real Wood Blinds	10 years
Roller Shades	10 years
Sheer Shadings	10 years
Vertical Blinds	10 years (with the exception of vertical vinyl vanes)
Vertical vinyl vanes	3 years
Operating System	**From Date of Manufacture**
InMotion™ (includes accessories)	5 years

What is Not Covered?

Normal wear and tear
Any product that fails due to:

- Abuse
- Accident
- Alterations
- Damage from pets/insects
- Exposure to salt air
- Extraordinary use
- Improper cleaning
- Improper handling
- Improper installation
- Improper operation
- Misapplication
- Misuse

Any product that, with the passage of time, exhibits:

- Loss of colour intensity (including, but not limited to fabric, plastic parts, and wood finishes)
- Loss of pleating if product is not held in raised position a portion of the time
- Yellowing or cracking of plastic parts or faux wood product
- Creeping, sagging, or billowing of cordless product that is not properly raised and lowered daily

Natural material (including, but not limited to wood, grass, jute, reeds) products that have:

- Variation in colour, grain, or texture
- Warping or cracking of wood slats in high-humidity and/or in high-heat areas

Costs associated with:

- Product removal
- Product remeasure
- Product reinstallation
- Transportation to and from the retailer
- Incidental or consequential damages
- Shipping
- Brand label removal

In the event there are multiple blinds/shades in the same room, only the defective blind /shade will be replaced.

To Report Shipping Damage

If damage occurred during shipping, call 1-800-538-6567 and report within 14 calendar days of delivery or you may be denied credit for your damaged product.

To Obtain Service

For online product-specific trouble shooting information, refer to www.levolor.ca

If you suspect this Levolor product has a manufacturing defect in materials or workmanship:

1. Locate the sales receipt (proof of purchase)
2. Call 1-800-538-6567

Any unauthorized returns will not be accepted.

Warranty Remedy

THIS SHALL BE YOUR SOLE REMEDY UNDER THIS LIMITED WARRANTY

If this Levolor product is found to have a manufacturing defect in materials or workmanship, we will (at our discretion) do one of the following:

- Repair the product
- Replace the product
- Refund the cost of the product

- Colours vary from lot to lot and may not exactly match sample swatch or previous purchases
- Discontinued items or colour selections will be replaced with the closest equivalent current product

Your Rights Under State or Provincial Law

This limited lifetime warranty gives you specific legal rights, and you may have other rights, which vary from state to state/province to province. Some states/provinces do not allow limitations on how long a warranty lasts, so the above limitations may not apply to you.

No agent, representative, dealer, or unauthorized employee has the authority to increase or alter the obligation of this warranty. This limited lifetime warranty supersedes any previous versions.